

1. Identification of the substance/preparation and of the company/undertaking

Product Name SUPERLOX X-50 PINK

UN/ID No. UN3264

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Self-Foaming Acid Cleaner

Uses advised against PREVENT DISPERSION OF MISTS!

Supplier Address

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

Emergency telephone number

Chemtec 1-800-424-9300

2. Hazards identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity-Inhalation Category 3

Skin Corrosion/Irritation Category 1 Sub-category B

Serious Eye Damage/Irritation Category 1

Corrosive to Metals Category 1

Label Elements

Signal word: **Danger**

Hazard Statements

Toxic if inhaled.

Causes severe skin burns and eye damage.

May be corrosive to metals.

Precautionary Statements - Prevention

Use only in well-ventilated areas. Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection. Keep only in original

container.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician. Specific treatment (see Section 4 on SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep comfortable for breathing.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store in a well-ventilated place.

Keep container tightly closed.

Store locked up.

Store in a corrosive resistant container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.


Hazards not otherwise classified (HNOC)

Other Information

May be harmful if swallowed

Toxic to aquatic life with long lasting effects

Toxic to aquatic life



3. Composition/information on ingredients

Chemical Name	CAS Number	% by Weight
Phosphoric Acid	7664-38-2	20 - 30

Chemical Name	CAS Number	% by Weight
Sulfuric Acid	7664-93-9	5 - 10

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

General advice

Immediate medical attention is required.

Eye contact

Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete rinsing. Get immediate medical attention.

Skin Contact

Flush with water for 15 minutes. Get medical attention. Remove contaminated clothing and wash before reuse.

Inhalation

Remove victim from immediate source of exposure to fresh air. If breathing is difficult, administer oxygen if available. If victim is not breathing, administer CPR. If individual experiences nausea, headache, or dizziness, get immediate medical attention.

Ingestion

Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing or unconscious person.

Self-protection of the first aider

No information available

Most important symptoms and effects, both acute and delayed

Symptoms

Causes severe irritation and or burns.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products

At flame temperatures, toxic phosphoric oxide fumes may be emitted.

Explosion Data

Sensitivity to mechanical impact None

Sensitivity to static discharge None

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool fire exposed containers. Move containers from fire area if you can do it without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate nonessential personnel. Ventilate area. Wear appropriate personal protection equipment.

Environmental precautions

See Section 12 for additional ecological information. Prevent entry into sewers or waterways.

Methods for containment

Completely contain spilled material with dikes or sand bags, etc.

Methods for cleaning up

Recover as much material as possible into containers for disposal or reuse. Remaining material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Do not get in eyes, on skin, or clothing. Do not breathe vapors or mists. Do not ingest. Wash thoroughly after handling. Wear protective clothing/equipment. Use with adequate ventilation. NEVER add water to product. ALWAYS add product, with constant stirring, slowly to surface of water to minimize heat generation and spattering.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed and properly labeled. Containers that have been emptied will retain product residue and should be handled as if they were full. Store in a cool, dry, well-ventilated place away from incompatible materials. Wash hands before eating, drinking, using tobacco, applying make-up or using the toilet. Do not store, use, and/or consume foods, beverages, tobacco in areas where this product is stored.

Incompatible materials

Strong caustics, solutions containing bleach or ammonia, strong oxidizing agents, most metals, strong acids, strong reducing agents, cyanide compounds, sulfides, organic material, chlorates, nitrogen containing compounds.

8. Exposure controls/personal protection

Control parameters

Exposure Guideline

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric Acid 7664-38-2	1 mg/m ³	1 mg/m ³	
Sulfuric Acid 7664-93-9	TWA: 0.2 mg/m ³ thoracic particulate matter	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 15 mg/m ³ ; TWA: 1 mg/m ³

Appropriate engineering controls

Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear protective splash proof safety goggles. Additional full face protection is recommended if splashing is a possibility.

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Color	Clear, colorless
Odor	No information available
Odor threshold	No information available
pH	1.6 - 2.1, 1% solution
Melting point/freezing point	No information available
Boiling point / boiling range	No information available
Flash point	No information available
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability upper limit in air	No information available
Flammability lower limit in air	No information available
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity	1.200 - 1.220
Water solubility	Soluble in water

Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available

10. Stability and reactivity

Reactivity

No information available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Contact with incompatible materials

Incompatible materials

Strong caustics, solutions containing bleach or ammonia, strong oxidizing agents, most metals, strong acids, strong reducing agents, cyanide compounds, sulfides, organic material, chlorates, nitrogen containing compounds.

Hazardous Decomposition Products

At flame temperatures, toxic phosphoric oxide fumes may be emitted.

11. Toxicological information

Information on likely routes of exposure

Product Information	No information available
Inhalation	Corrosive by inhalation.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin Contact	Contact causes severe skin irritation and possible burns.
Ingestion	May cause burns to mouth and esophagus, abdominal pain, nausea, vomiting.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Phosphoric Acid 7664-38-2	1530 mg/kg	2740 mg/kg	
Sulfuric Acid 7664-93-9	2140 mg/kg (Rat)		0.375 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms Contact with eyes and skin may cause burns. Inhalation may cause upper respiratory irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available
Germ cell mutagenicity	No information available
Carcinogenicity	Occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic to humans.

Chemical Name	ACGIH	IARC	NTP	OSHA

Reproductive toxicity	No information available
STOT - single exposure	No information available
STOT - repeated exposure	No information available
Aspiration hazard	No information available

Numerical measures of toxicity - Product Information

ATEmix (oral) 4586 mg/kg
ATEmix (dermal) 9100 mg/kg
ATEmix (inhalation-dust/mist) 0.6 mg/l

12. Ecological information

Ecotoxicity

SUPERLOX X-50 PINK

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Phosphoric Acid 7664-38-2	LC50 – 96hr 138 mg/L Mosquitofish		
Sulfuric Acid 7664-93-9		500 mg/L (LC50 96 h static - Brachydanio rerio)	

Persistence and degradability No information available
Bioaccumulation No information available
Other adverse effects No information available

13. Disposal considerations

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging Do not reuse container.

Chemical Name	California Hazardous Waste Status

14. Transport information

DOT Regulated
UN/ID No. UN3264
Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.
Hazardous ingredients (Phosphoric Acid/Sulfuric acid)
Hazard class 8
Packing group II

15. Regulatory information

US Federal Regulations

SARA 311/312 Hazards

Acute Toxicity-Inhalation
 Skin Corrosion/Irritation
 Serious Eye Damage/Irritation
 Corrosive to Metals

CWA (Clean Water Act)

This product contains a substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	Reportable Quantities	Toxic Pollutants	Priority Pollutants	Hazardous Substances
Phosphoric Acid 7664-38-2	5000 lb			
Sulfuric Acid 7664-93-9	1000 lb			

CERCLA

This material, as supplied, contains a substance regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric Acid 7664-93-9	1000 lb	1000 lb	1000 lb

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPA	Health hazards	3	Flammability	0	Instability	0	Physical and Chemical Properties	
HMIS	Health hazards	3	Flammability	0	Physical hazards	0	Personal protection	X
Prepared By	L. Tipka							
Issue Date	2014-12-04							
Revision Date	2023-10-12							
Revision Note	2023-10-12							

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet