

Issue Date 07-Aug-2018

Revision Date 13-Mar-2021

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**Product Name** CD-9535**Other means of identification****Product Code** 410
UN/ID No. UN2796
Synonyms None**Recommended use of the chemical and restrictions on use****Recommended Use** Chlorine Dioxide Acid Precursor
Uses advised against PREVENT DISPERSION OF MISTS!**Manufacturer Address**

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

Emergency telephone number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION**Classification**

| | |
|---|---------------------------|
| Acute toxicity - Inhalation (Dusts/Mists) | Category 3 |
| Skin corrosion/irritation | Category 1 Sub-category A |
| Serious eye damage/eye irritation | Category 1 |
| Corrosive to metals | Category 1 |

Label elements**Emergency Overview****Danger****Hazard statements**Toxic if inhaled
Causes severe skin burns and eye damage
May be corrosive to metals**Appearance** aqueous solution**Physical state** liquid**Odor** None**Precautionary Statements - Prevention**Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Keep only in original container
Wear protective gloves/protective clothing/eye protection/face protection
Use only in well-ventilated areas

Precautionary Statements - Response

Specific treatment (see Section 4 on this label)

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in a corrosive resistant container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other Information****3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|---------------|-----------|-----------|--------------|
| Sulfuric acid | 7664-93-9 | 35.2-36.4 | |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures****General advice**

Immediate medical attention is required.

Eye contact

Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete rinsing. Get immediate medical attention.

Skin Contact

Flush with water for 15 minutes. Get medical attention. Remove contaminated clothing and wash before reuse.

Inhalation

Remove victim from immediate source of exposure to fresh air. If breathing is difficult, administer oxygen if available. If victim is not breathing, administer CPR. If individual experiences nausea, headache, or dizziness, get immediate medical attention.

Ingestion

Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing or unconscious person.

Most important symptoms and effects, both acute and delayed**Symptoms**

Causes severe irritation and or burns.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Dry chemical. Carbon dioxide (CO₂).

Unsuitable extinguishing media DO NOT USE WATER.

Specific hazards arising from the chemical

Direct contact with water can cause a violent exothermic reaction. Contact with metals may evolve flammable hydrogen gas.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal precautions**

Evacuate nonessential personnel. Ventilate area. Wear appropriate personal protection equipment.

Environmental precautions

See Section 12 for additional ecological information.

Methods for containment

Stop leak if you can do it without risk. Completely contain spilled material with dikes or sand bags, etc.

Methods for cleaning up

Recover as much material as possible into containers for disposal or reuse. Remaining material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal.

7. HANDLING AND STORAGE**Precautions for safe handling****Advice on safe handling**

Do not get in eyes, on skin, or clothing. Do not breathe vapors or mists. Do not ingest. Wash thoroughly after handling. Wear protective clothing/equipment. Use with adequate ventilation. NEVER add water to product. ALWAYS add product, with constant stirring, slowly to surface of water to minimize heat generation and spattering.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed and properly labeled. Containers that have been emptied will retain product residue and should be handled as if they were full. Store in a cool, dry, well-ventilated place away from incompatible materials. Wash hands before eating, drinking, using tobacco, applying make-up or using the toilet. Do not store, use, and/or consume foods, beverages, tobacco in areas where this product is stored.

Incompatible materials

Strong acids and bases; Oxidizing agents; Water; Lithium; Organic materials; Halogens; Metals; Strong reducing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------|--|--|--|
| Sulfuric acid 7664-93-9 | TWA: 0.2 mg/m ³ thoracic fraction | TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ | IDLH: 15 mg/m ³ TWA: 1 mg/m ³ |

Appropriate engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------|---|
| Eye/face protection | Wear protective splash proof safety goggles. Additional full face protection is recommended if splashing is a possibility. |
| Skin and body protection | Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate to risk of exposure, to prevent skin contact. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|--------------------------------------|--------------------------|-------------------------|--------------------------|
| Physical state | liquid | Odor | None |
| Appearance | aqueous solution | Odor threshold | No information available |
| Color | clear colorless | | |
| Property | Values | Remarks • Method | |
| pH | <1 | | |
| Melting point/freezing point | No information available | | |
| Boiling point / boiling range | No information available | | |
| Flash point | No information available | | |
| Evaporation rate | No information available | | |
| Flammability (solid, gas) | No information available | | |
| Flammability Limit in Air | | | |
| Upper flammability limit: | No information available | | |
| Lower flammability limit: | No information available | | |
| Vapor pressure | No information available | | |
| Vapor density | No information available | | |
| Specific Gravity | 1.266 - 1.276 | | |
| Water solubility | Soluble in water | | |
| Solubility in other solvents | No information available | | |
| Partition coefficient | No information available | | |
| Autoignition temperature | No information available | | |
| Decomposition temperature | No information available | | |
| Kinematic viscosity | No information available | | |
| Dynamic viscosity | No information available | | |
| Explosive properties | No information available | | |
| Oxidizing properties | No information available | | |

Other Information

| | |
|-------------------------|--------------------------|
| Softening point | No information available |
| Molecular weight | No information available |
| VOC Content (%) | No information available |
| Density | No information available |
| Bulk density | No information available |

10. STABILITY AND REACTIVITY**Reactivity**

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Incompatible materials. Contact with water may cause violent reaction with evolution of heat. To dilute: Add product slowly to lukewarm water; not water to product.

Incompatible materials

Strong acids and bases; Oxidizing agents; Water; Lithium; Organic materials; Halogens; Metals; Strong reducing agents

Hazardous Decomposition Products

Oxides of sulfur.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

| | |
|---------------------|--|
| Inhalation | Toxic if inhaled. |
| Eye contact | Corrosive to the eyes and may cause severe damage including blindness. |
| Skin Contact | Contact causes severe skin irritation and possible burns. |
| Ingestion | May be harmful by ingestion |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------|----------------------|-------------|-------------------------------------|
| Sulfuric acid 7664-93-9 | = 2140 mg/kg (Rat) | - | = 510 mg/m ³ (Rat) 2 h |

Information on toxicological effects**Symptoms** No information available.**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity Considered a carcinogen when exposed as a strong mist only

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|----------------------------|-------|---------|-------|------|
| Sulfuric acid 7664-93-9 | A2 | Group 1 | Known | X |

Reproductive toxicity No information available.
STOT - single exposure No information available.

STOT - repeated exposure No information available.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6114 mg/kg
ATEmix (inhalation-dust/mist) 0.7 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|----------------------------|----------------------|---|-------------------------------------|
| Sulfuric acid 7664-93-9 | - | 500: 96 h Brachydanio rerio mg/L LC50 static | 29: 24 h Daphnia magna mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

| Chemical Name | California Hazardous Waste Status |
|----------------------------|-----------------------------------|
| Sulfuric acid 7664-93-9 | Toxic Corrosive |

14. TRANSPORT INFORMATION

DOT Regulated
UN/ID No. UN2796
Proper shipping name Sulfuric Acid
Hazard Class 8
Packing Group II

15. REGULATORY INFORMATION

International Inventories

| | | |
|----------------------|-----------------|---|
| TSCA | Complies | All Ingredients are on the Active TSCA List |
| DSL/NDSL | Complies | |
| EINECS/ELINCS | Complies | |
| ENCS | Does not comply | |
| IECSC | Complies | |
| KECL | Complies | |
| PICCS | Complies | |
| AICS | Complies | |

Legend:

TSCA—United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. Sulfuric acid is considered a 313 chemical in aerosol form only.

| Chemical Name | Percent by Weight |
|---------------------------|-------------------|
| Sulfuric acid - 7664-93-9 | 35.2-36.4 |

SARA 311/312 Hazards

Corrosive to metals
 Acute toxicity - Inhalation (Dusts/Mists)
 Serious eye damage or eye irritation
 Skin corrosion or irritation

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Sulfuric acid 7664-93-9 | 1000 lb | - | - | X |

CERCLA

This material, as supplied, contains a substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------------------|--------------------------|----------------|---|
| Sulfuric acid 7664-93-9 | 1000 lb | 1000 lb | RQ 1000 lb final RQ RQ 454 kg final RQ |

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals, considered a carcinogen as a strong inorganic acid mist ONLY

| Chemical Name | California Proposition 65 |
|---------------------------|---------------------------|
| Sulfuric acid - 7664-93-9 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------|------------|---------------|--------------|
| Sulfuric acid 7664-93-9 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

| | | | | |
|--------------------|------------------|----------------|--------------------|---|
| <u>NFPA</u> | Health hazards 3 | Flammability 0 | Instability 2 | Physical and Chemical Properties - |
| <u>HMIS</u> | Health hazards 3 | Flammability 0 | Physical hazards 2 | Personal protection X |

| | | |
|--------------------|-------------|-------------|
| Prepared By | lmt | |
| Issue Date | 07-Aug-2018 | |
| Revision | 18-Mar-2021 | Date |

Revision Note
 15-Sept-2020-Updated Section 15; 18-Mar-2021- Added statement to TSCS listing in Section 15

Disclaimer
 The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet