

# SAFETY DATA SHEET

Issue Date 11-Nov-2014 Revision Date 11-Nov-2014 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name SHELL BRITE L-45

Other means of identification

Product Code 240 UN/ID No. UN1814 Synonyms None

Recommended use of the chemical and restrictions on use
Recommended Use Liquid Egg Cleaner.
Uses advised against No information available

**Manufacturer Address** 

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

Emergency telephone number

Chemtrec 1-800-424-9300

### 2. HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label elements

#### **Emergency Overview**

### Danger

### Hazard statements

Causes severe skin burns and eye damage May be corrosive to metals



Appearance No information available

Physical state liquid

Odor None

### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

# **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see Section 4 on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

### **Precautionary Statements - Storage**

Store locked up

Store in a corrosive resistant container.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 100% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Potassium hydroxide	1310-58-3	33.75	

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

Eye contact Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete

rinsing. Get immediate medical attention.

**Skin Contact** Flush with water for 15 minutes. If irritation persists after rinsing, get medical attention.

Remove contaminated clothing and wash before reuse.

**Inhalation** Remove victim to fresh air. If breathing difficulty occurs or persists, get medical attention.

**Ingestion** Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate

medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing

or unconscious person.

### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

### Specific hazards arising from the chemical

If stock solution container breaks, the product should be handled with care as it is corrosive. Under fire conditions, toxic, corrosive fumes are emitted.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required.

**Environmental precautions** See Section 12 for additional ecological information.

Methods for containment Completely contain spilled material with dikes or sand bags, etc.

Methods for cleaning up Recover as much material as possible into containers for disposal or reuse. Remaining

material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not get in eyes, on skin, or clothing. Wash thoroughly after handling. Wear appropriate

protective clothing/equipment. Do not breathe dust. Use with adequate ventilation. Do not

ingest.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed. Keep in properly labeled containers. NEVER add water to

product. ALWAYS add product, with constant stirring, slowly to surface of water to

minimize heat generation and spattering.

Incompatible materials Reacts with strong acids; also, aluminum, tin, zinc or alloys containing these metals. Avoid

contact with leather, wool, organic halogen compounds, or organic nitro compounds.

Prolonged contact with aluminum may produce flammable hydrogen gas.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

#### Appropriate engineering controls

Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear protective splash proof safety goggles. Additional full face protection is recommended

if splashing is a possibility.

**Skin and body protection**Wear protective gloves and protective clothing. Protective shoes or boots.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

1% Solution

None

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state liquid

Appearance No information available Odor

Color clear colorless Odor threshold No information available

Property Values Remarks • Method

pH 13.0Melting point/freezing point No information available

Boiling point / boiling range

No information available 271 °F

Flash point

Evaporation rate

No information available
No information available

Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 1.364

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Reacts with strong acids; also, aluminum, tin, zinc or alloys containing these metals. Avoid contact with leather, wool, organic halogen compounds, or organic nitro compounds. Prolonged contact with aluminum may produce flammable hydrogen gas.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information No data available

**Inhalation** May cause irritation of respiratory tract.

Eye contact Risk of serious damage to eyes. Avoid contact with eyes.

**Skin Contact** Avoid contact with skin. Causes burns.

Ingestion Ingestion may cause irritation to mucous membranes. Can burn mouth, throat, and

stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide	= 214 mg/kg (Rat)	-	-
1310-58-3			

#### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes burns.

**Serious eye damage/eye irritation** Risk of serious damage to eyes. Causes severe irritation and or burns.

**Corrosivity** Risk of serious damage to eyes. Causes burns.

Sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.

#### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 100% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

100% of the mixture consists of components(s) of unknown hazards to the aquatic environment

to o for the mixture contacts of compensation (o) of the material to the advance of the contacts				
Chemical Name	Algae/aquatic plants	Fish	Crustacea	
Potassium hydroxide	-	80: 96 h Gambusia affinis mg/L	-	
1310-58-3		LC50 static		

### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Potassium hydroxide	0.65
1310-58-3	0.83

Other adverse effects No information available

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic
1310-58-3	Corrosive

# 14. TRANSPORT INFORMATION

DOT

**UN/ID No.** UN1814

Proper shipping name Potassium Hydroxide, Solution

Hazard Class 8
Packing Group ||

# 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies Complies **DSL/NDSL** Does not comply **EINECS/ELINCS ENCS** Does not comply **IECSC** Complies **KECL** Complies Complies **PICCS AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb	-	-	X

# CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide	X	X	X
1310-58-3			

### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

### 16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical Properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 1 Personal protection X

Prepared By kcs

 Issue Date
 11-Nov-2014

 Revision Date
 11-Nov-2014

**Revision Note** 

No information available

#### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**