

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Molybdate Reagent

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Molybdate Reagent

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: MO1460-B

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc.
9 Barnhart Drive
Hanover, PA 17331
1-717-632-1291

Supplier Details:

AquaPhoenix Scientific, Inc
9 Barnhart Drive, Hanover, PA 17331
(717) 632-1291

Emergency telephone number:

ChemTel: (24-hour) (US and Canada)
1-(800)-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Health hazard

Carcinogenicity, category 1A



Corrosive

Corrosive to metals, category 1



Irritant

Skin irritation, category 2

Eye irritation, category 2A

Specific target organ toxicity following single exposure, category 3

Carcinogenic 1 (Strong inorganic acid mists/aerosols containing sulfuric acid).

Corrosive to metals. 1.

STOT SE 3.

Skin Irritation 2.

Eye irritation 2A.

Signal word: None

Hazard statements:

May be corrosive to metals.

May cause cancer.

May cause drowsiness or dizziness.

Causes serious eye irritation.

Causes skin irritation.

Precautionary statements:

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Molybdate Reagent

If medical advice is needed have product container or label at hand.
 Keep out of reach of children.
 Read label before use.
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Use personal protective equipment as required.
 Use only outdoors or in a well-ventilated area.
 Do not breathe dust/fume/gas/mist/vapours/spray.
 Wash thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Keep only in original container.
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 Absorb spillage to prevent material damage.
 IF exposed or concerned: Get medical advice/attention.
 Call a POISON CENTER or doctor/physician if you feel unwell.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 Immediately call a POISON CENTER or doctor/physician.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.
 Continue rinsing.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 Store locked up.
 Store in a corrosive resistant container with a resistant inner liner.
 Store in a well ventilated place. Keep container tightly closed.
 Dispose of contents/container.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:		
CAS 7664-93-9	Sulfuric Acid	4.5 %
CAS 10102-40-6	Sodium Molybdate Dihydrate	1 %
CAS 7732-18-5	water, Purified	>94 %
Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Provide oxygen if breathing is difficult. Seek medical attention immediately. Begin rescue breathing using universal precautions if breathing has stopped. Begin CPR if heart action has stopped. Give artificial respiration if necessary.

After skin contact:

Rinse thoroughly. Rinse/flush exposed area gently using water for at least 30 minutes. Remove contaminated clothing and discard. Seek immediate medical advice.

After eye contact:

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Molybdate Reagent

Protect unexposed eye. Remove contact lens(es) if able to do so during rinsing. Rinse/flush exposed eye(s) gently using water for at least 30 minutes. Seek immediate medical assistance.

After swallowing:

Rinse mouth thoroughly. Have exposed individual drink sips of water. Do not induce vomiting. Seek immediate medical assistance.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath. Burning of eyes or skin. Coughing. Strong inorganic acid mists containing sulfuric acid can cause cancer. Lung damage, chronic bronchitis. Damage to teeth and stomach.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Use of soap may assist with neutralization on exposed skin in conjunction with flushing.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Dry chemical, foam, or Carbon Dioxide.

Unsuitable extinguishing agents:

Water should not be used. Heat can be generated when in contact.

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Poisonous sulfur oxides are combustion products. Aerosols or mist may be produced in a fire. Sulfuric acid may ignite combustibles. Can react with metal to form flammable and explosive hydrogen gas.

Advice for firefighters:

Protective equipment:

Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment for fire and chemical resistance.

Additional information (precautions): None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Neutralize with lime or soda ash. Avoid contact with eyes, skin, and clothing. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Neutralize with lime or soda ash. Add water to form slurry. Dispose of remaining solid as normal refuse. Decant water to drain with excess water.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Prevent formation of aerosols. Avoid contact with eyes, skin, and clothing. Follow good hygiene procedures when handling chemical materials. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas.

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Molybdate Reagent

Wear protective clothing and equipment. Do not handle with incompatibles (see Section 10). Wash hands after handling.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Protect from freezing and physical damage. Do not mix with bases. Generates heat when contacted with water. Provide ventilation for containers. Store in cool, dry conditions in well sealed containers. Keep container tightly closed. Do not store near incompatible materials (see Section 10). Only store in original container.

SECTION 8: Exposure controls/personal protection



Control parameters:

7664-93-9, Sulfuric Acid, ACS., ACGIH TLV: 1mg/m³.
7664-93-9, Sulfuric Acid, ACS., OSHA PEL: 1mg/m³.
10102-40-6, Sodium Molybdate., OSHA PEL TWA: 5.0 gm/m³.
10102-40-6, Sodium Molybdate., ACGIH TLV: 0.5mg/m³.
7732-18-5, Water purified., ACGIH TLV: NA.
7732-18-5, Water purified., OSHA PEL TWA.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Normal ventilation is adequate.

Respiratory protection:

Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable.

Protection of skin:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Wear protective equipment to prevent contact with skin, eyes, or hair. Complete suit protecting against chemicals.

Eye protection:

Tightly fitting safety goggles or face shield. (8-inch minimum).

General hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, colorless liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	<3	Relative density:	1.01
Melting/Freezing point:	Approx 0C	Solubilities:	Soluble in water.
Boiling point/Boiling range:	Approx 100C	Partition coefficient (n-octanol/water):	Not determined

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Molybdate Reagent

Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		
Specific Gravity	1.84		

SECTION 10: Stability and reactivity

Reactivity:

Stable under normal conditions.

Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions:

Reacts with most metals to produce hydrogen gas, which may form explosive mixtures with air.

Conditions to avoid:

Store away from incompatible substances.

Incompatible materials:

Organics. Metals. Strong bases. Alcohols. Chlorine. halogenated compounds. Combustible materials. Picrates. Chlorates. Alkalines. Carbides. Fulminates. Reducing agents. Nitrates. Acetic acid. Oxidizing agents.

Hazardous decomposition products:

Oxides of sulfur. Carcinogenic mists/aerosols. Oxygen. Sodium oxides, Molybdenum oxides.

SECTION 11: Toxicological information

Acute Toxicity:

Chronic Toxicity: No additional information.

Skin corrosion/irritation: No additional information.

Serious eye damage/irritation: No additional information.

Respiratory or skin sensitization: No additional information.

Carcinogenicity:

Strong inorganic acid mists containing sulfuric acid.: IARC Group 1

Germ cell mutagenicity: No additional information.

Reproductive Toxicity: No additional information.

STOT-single and repeated exposure: No additional information.

Additional toxicological information: No additional information.

SECTION 12: Ecological information

Ecotoxicity:

: Aquatic Toxicity, Concentrated sulfuric acid has moderate acute and chronic toxicity to aquatic life. Small quantities will be neutralized by natural alkalinity. .

Persistence and degradability:

Readily degradable in the environment.

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Molybdate Reagent

Bioaccumulative potential:

No components are Bio accumulative.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product. Neutralize with calcium carbonate or soda ash and wash to sewer with plenty of water.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA

1760

Limited Quantity Exception:

None

Bulk:

RQ (if applicable): None

Proper shipping Name: Corrosive Liquids, N.O.S., (Sulfuric Acid Solution).

Hazard Class: 8

Packing Group: II.

Marine Pollutant (if applicable): No additional information.

Comments: None

Non Bulk:

RQ (if applicable): None

Proper shipping Name: Corrosive Liquids, N.O.S., (Sulfuric Acid Solution).

Hazard Class: 8

Packing Group: II.

Marine Pollutant (if applicable): No additional information.

Comments: None



SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

SARA Section 313 (Specific toxic chemical listings):

7664-93-9 Sulfuric acid.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Molybdate Reagent

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7664-93-9 Sulfuric Acid 1000 lb.

Proposition 65 (California):

Chemicals known to cause cancer:

7664-93-9 sulfuric acid.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 3-0-0

HMIS: 3-0-2

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Molybdate Reagent

WHMIS Workplace Hazardous Materials Information System (Canada).
DNEL Derived No-Effect Level (REACH).