Printing date 07/23/2014 Reviewed on 07/23/2014

1 Identification

· Product identifier

· Trade name: Sterilex Ultra Powder

· Article number: 63761-5

· Application of the substance / the mixture Disinfectant

· Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Sterilex Corporation 111 Lake Front Drive Hunt Valley, MD 21030 Phone: 443-541-8800

· Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

disodium carbonate, compound with hydrogenperoxide (2:3) Benzyldimethyltetradecylammonium chloride tetrasodium ethylenediaminetetraacetate

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

(Contd. on page 2)

Printing date 07/23/2014 Reviewed on 07/23/2014

Trade name: Sterilex Ultra Powder

P260 Do not breathe dust.

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

- · Hazard description:
- · WHMIS-symbols: Not hazardous under WHMIS.
- Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
497-19-8	sodium carbonate	49-51%
15630-89-4	disodium carbonate, compound with hydrogenperoxide (2:3) Ox. Sol. 2, H272 Eye Dam. 1, H318 Acute Tox. 4, H302	28-31%
139-08-2	Benzyldimethyltetradecylammonium chloride Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H312	9-10%
64-02-8	tetrasodium ethylenediaminetetraacetate Eye Dam. 1, H318 Acute Tox. 4, H302	4-6%
25322-68-3	polyethylene glycol STOT SE 3, H335	4-6%

(Contd. on page 3)

Printing date 07/23/2014 Reviewed on 07/23/2014

Trade name: Sterilex Ultra Powder

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

Brush off loose particles from skin.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed

Coughing

Breathing difficulty

Gastric or intestinal disorders when ingested.

Strong caustic effect on skin and mucous membranes.

Danger

Harmful if swallowed.

May cause respiratory irritation.

May be harmful if inhaled.

Danger of gastric perforation.

Danger of severe eye injury.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

May intensify fire; oxidizer.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 4)

Printing date 07/23/2014 Reviewed on 07/23/2014

Trade name: Sterilex Ultra Powder

(Contd. of page 3)

· Additional information No further relevant information available.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

Take any precaution to avoid mixing with combustibles.

Ensure adequate ventilation.

Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Toxic to aquatic life.

Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

Warm water

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Prevent formation of dust.

Use only in well ventilated areas.

Any deposit of dust which cannot be avoided must be regularly removed.

Information about protection against explosions and fires:

Protect from heat.

Substance/product can reduce the ignition temperature of flammable substances.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Protect from humidity and water.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

Do not store together with acids.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep receptacle tightly sealed.

This product is hygroscopic.

(Contd. on page 5)

Printing date 07/23/2014 Reviewed on 07/23/2014

Trade name: Sterilex Ultra Powder

(Contd. of page 4)

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

25322-68-3 polyethylene glycol

WEEL (USA) Long-term value: 10 mg/m³

(H); MW>200

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Use suitable respiratory protective device when high concentrations are present.

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Neoprene gloves

Nitrile rubber, NBR

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet acc. to HCS and GHS

Printing date 07/23/2014 Reviewed on 07/23/2014

Trade name: Sterilex Ultra Powder

· Eye protection:



Safety glasses

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

· Limitation and supervision of exposure into the environment

No further relevant information available.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder White Odorless
Odor threshold: Not determined.

• pH-value (10 g/l) at 20 °C (68 °F): 9.0 - 11.2 (1% aqueous solution)

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.
Undetermined.

Flash point:
Not applicable.

Flammability (solid, gaseous):

Auto-ignition temperature:
Not determined.

Decomposition temperature:
Not determined.

· **Auto igniting:** Product is not self-igniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

· Oxidizing properties Oxidizer

Vapor pressure: Not applicable.
Density: Not determined.
Relative density Not determined.
Vapour density Not applicable.
Evaporation rate Not applicable.

· Solubility in / Miscibility with

Water: Soluble.

(Contd. on page 7)

Printing date 07/23/2014 Reviewed on 07/23/2014

Trade name: Sterilex Ultra Powder

(Contd. of page 6)

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· Possibility of hazardous reactions

Reacts with flammable substances.

Toxic fumes may be released if heated above the decomposition point.

Exothermic reaction with acids.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

May intensify fire; oxidizer.

· Conditions to avoid

Avoid acids.

Take any precaution to avoid mixing with combustibles.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Chlorine compounds

Oxygen

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

497-19-8 sodium carbonate

Oral LD50 4090 mg/kg (rat)

15630-89-4 disodium carbonate, compound with hydrogenperoxide (2:3)

Oral LD50 800 -1000 mg/kg (rat)

- Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)

Printing date 07/23/2014 Reviewed on 07/23/2014

Trade name: Sterilex Ultra Powder

(Contd. of page 7)

Corrosive Irritant Harmful

- · Carcinogenic categories
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: Toxic to aquatic life.
- Persistence and degradability biodegradable
- · Bioaccumulative potential Does not accumulate in organisms
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for algae
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Toxic for aquatic organisms

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Printing date 07/23/2014 Reviewed on 07/23/2014

Trade name: Sterilex Ultra Powder

(Contd. of page 8)

14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA

· UN proper shipping name

DOT Corrosive solids, n.o.s. (Quaternary ammonium compound)
ADR 1759 CORROSIVE SOLID, N.O.S. (Quaternary ammonium

UN1759

compound)

· IMDG, IATA CORROSIVE SOLID, N.O.S. (Quaternary ammonium

compound)

· Transport hazard class(es)

· DOT



· Class 8 Corrosive substances

· Label

· ADR, IMDG, IATA



· Class 8 Corrosive substances

· Label 8

· Packing group

DOT, ADR, IMDG, IATA

Environmental hazards:

· Marine pollutant:

Special precautions for user Warning: Corrosive substances

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN1759, Corrosive solids, n.o.s. (Quaternary ammonium

compound), 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

·SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 10)

Printing date 07/23/2014 Reviewed on 07/23/2014

Trade name: Sterilex Ultra Powder

· Proposition 65 (California)

(Contd. of page 9)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

EPA Product Registration: 63761-5.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER

CORROSIVE

Causes irreversible eye damage and skin burns.

Harmful if swallowed.

Harmful in contact with skin.

Harmful by inhalation.

139-08-2 Benzyldimethyltetradecylammonium chloride

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· State Right to Know Listings

None of the ingredients is listed.

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

497-19-8 sodium carbonate

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 07/23/2014 Reviewed on 07/23/2014

Trade name: Sterilex Ultra Powder

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 07/23/2014 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Ox. Sol. 2: Oxidising Solids, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com