

# SAFETY DATA SHEET

Revision date 2016-09-06 Revision number 1.02

1. IDENTIFICATION

Product identifier

Product name WS-131

Other means of identification

Product code 3207B-1

Synonyms Inorganic metal salt coagulant/flocculant in aqueous solution

Recommended use of the chemical and restrictions on use

Recommended use [RU] No information available Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier** Anderson Chemical Company

325 South Davis Avenue Litchfield, MN 55355 +1-800-366-2477

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: (800) 424-9300

## 2. HAZARDS IDENTIFICATION

## Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

GHS Label elements, including precautionary statements

**EMERGENCY OVERVIEW** 

Physical state	Color	Appearance	Odor
liquid	colorless to yellow	clear	no appreciable odor



#### **DANGER**

#### **Hazard statements**

Harmful if swallowed Causes severe skin burns and eye damage May be corrosive to metals

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

## **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Absorb spillage to prevent material damage.

## **Precautionary Statements - Storage**

Store locked up

Store in corrosive resistant container with a resistant inner liner

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

Harmful to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No	weight-%	TRADE SECRET
Aluminum Chloride	7446-70-0	<30%	*

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

\_\_\_\_\_

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

#### **First Aid Measures**

## Eye contact

Remove contact lenses, if worn. Immediately flush with plenty of water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire surface. Washing within one minute is essential to achieve maximum effectiveness. Seek medical advice immediately.

#### Skin contact

Immediately flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

#### Ingestion

Do NOT induce vomiting. If vomiting should occur spontaneously, keep airway clear. Never give anything by mouth to an unconscious person. Get medical attention.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician immediately.

### Most important symptoms and effects, both acute and delayed

#### Acute effects

Possible eye, skin, and respiratory tract irritation or burns.

#### **Chronic effects**

May aggravate existing skin, eye, and lung conditions. Persons with kidney disorders have an increased risk from exposure based on general information found on aluminum salts.

## Indication of any immediate medical attention and special treatment needed

### Note to physicians

Aluminum soluble salts may cause gastroenteritis if ingested. Treatment includes the use of demulcents. Note: Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## 5. FIRE-FIGHTING MEASURES

## Extinguishing media

### Suitable extinguishing media

Water fog, carbon dioxide, foam, dry chemical.

### Extinguishing media which must not be used for safety reasons

No information available.

## Special hazards arising from the substance or mixture

## **Special Hazard**

May produce hazardous fumes or hazardous decomposition products.

## Advice for firefighters

### Firefighting measures

Product is a water solution and nonflammable. In a fire, this product may build up pressure and rupture a sealed container; cool exposed containers with water spray. Use self-contained breathing apparatus in confined areas; avoid breathing mist or spray.

### Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for firefighting personnel.

### Explosion data

## Sensitivity to Mechanical Impact

None.

## Sensitivity to Static Discharge

None.

## **6. ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Wear suitable protective clothing and gloves.

### Environmental precautions

#### **Environmental precautions**

Do not permit solutions of product into sewers or waterways.

## Methods and material for containment and cleaning up

#### Methods for containment

Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Soak up with inert absorbent material. Shovel into labeled waste container for disposal. Provide adequate ventilation to spill area. Clean up residual material by washing area with water. Collect washings for disposal.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

### Advice on safe handling

Keep container closed when not in use

Keep away from heat and open flame.

Avoid contact with eves, skin and clothing

Wear chemical splash goggles, gloves, and protective clothing when handling.

Wash thoroughly after handling

Avoid breathing vapor or mist

Use with adequate ventilation and employ respiratory protection where mist or spray may be generated.

Do not take internally

FOR INDUSTRIAL USE ONLY.

## Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Do not store in unlined metal containers.

Product may slowly corrode iron, brass, copper, aluminum, mild steel, and stainless steel.

Store in a cool, dry place away from heat.

## Incompatible products

Alkalis.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

### **Exposure Guidelines**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### Appropriate engineering controls

## **Engineering controls**

Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Please refer to the ACGIH document, "Industrial Ventilation, A Manual of Recommended Practices", most recent edition, for details. If there are no applicable or established exposure limit requirements or guidelines, general ventilation should be sufficient.

## Individual protection measures, such as personal protective equipment

#### **Eye/face Protection**

Wear chemical splash goggles and face shield (when eye and face contact is possible due to splashing or spraying of material).

#### **Hand Protection**

Appropriate chemical resistant gloves should be worn.

### Skin and body protection

Standard work clothing and work shoes.

## Respiratory protection

If exposures exceed the PEL or TLV, use NIOSH/MSHA approved respirator in accordance with OSHA Respiratory Protection Requirements under 29 CFR 1910.134. If there are no applicable or established exposure limit requirements or guidelines, general ventilation should be sufficient.

## Other personal protection data

Eyewash fountains and safety showers must be easily accessible.

#### Hygiene measures

Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state liquid

Color colorless to yellow

Appearance clear

Odorno appreciable odorOdor thresholdNo information available

roperty	<u>Values</u>	Remarks / Method
н	< 1	as is
lelting / freezing point	-35 °C / -31 °F	No information available
oiling point / boiling range	104 °C / 220 °F	No information available
lash point	Not applicable	No information available
vaporation rate	No information available	No information available
H  Ielting / freezing point  soiling point / boiling range lash point	-35 °C / -31 °F 104 °C / 220 °F Not applicable	No information available  No information available  No information available

Page 5/11

Flammability (solid, gas) Not applicable No information available

Flammability Limit in Air

Upper flammability limitNot applicableNo information availableLower flammability limitNot applicableNo information available

Vapor pressure No information available No information available

Vapor density No information available No information available

Specific gravity 1.27 - 1.29 No information available

Solubility (water) Soluble No information available

Solubility in other solvents No information available No information available

Partition coefficient: n-octanol/water No information available No information available

Autoignition temperature Not applicable No information available

**Decomposition temperature**No information available
No information available

Kinematic viscosity

No information available

No information available

**Dynamic viscosity** < 50 cps @ 20 °C No information available

Other information

Density	10.59 - 10.76 lb/gal
Bulk Density	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	Not applicable
Volatile Organic Compound (VOC) content, wt.%	No information available
Percent Volatile, wt.%	48 - 52 %

## 10. STABILITY AND REACTIVITY

## Reactivity

Reactivity

No data available.

Chemical stability

**Chemical stability** 

Stable.

Possibility of hazardous reactions

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

No.

### Conditions to avoid

### Conditions to avoid

None known.

#### Incompatible materials

#### Materials to avoid

Alkalis.

#### Hazardous decomposition products

## Hazardous decomposition products

Thermal decomposition may release toxic and/or hazardous gases such as Cl<sub>2</sub> and HCl.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### Eye contact

Based on pH, this product is expected to cause severe eye irritation, possibly resulting in burns and eye damage. Prolonged exposure to Aluminum salts may cause conjunctivitis.

#### Skin contact

Prolonged and/or repeated contact will cause severe skin irritation and burns.

#### Ingestion

Harmful if swallowed. May cause burns of the mouth, throat and stomach. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

## Inhalation

Inhalation of mist or spray may irritate respiratory tract and may cause burns and difficulty breathing.

## Acute toxicity - Product Information

**Oral LD50** 3700 mg/kg (rat) <sup>1</sup>

3805 mg/kg (mouse)<sup>2</sup>

Dermal LD50 No information available

Inhalation LC50 No information available

## Acute toxicity - Component Information

Component	weight-%	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret Ingredient	20 - 30%	= 380 mg/kg (Rat)		

## Information on toxicological effects

## **Symptoms**

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

## Skin corrosion/irritation

Causes burns

### Serious eye damage/eye irritation

Risk of serious damage to eyes

\_\_\_\_\_\_

#### Sensitization

No information available

## Germ cell mutagenicity

No information available

### Carcinogenicity

This product does not contain any components in concentrations greater than or equal to 0.1% that are listed as known or suspected carcinogens by NTP, IARC, ACGIH, or OSHA.

## Reproductive toxicity

No information available

## Specific target organ toxicity - Single exposure

No information available.

### Specific target organ toxicity - Repeated exposure

No information available

#### **Aspiration hazard**

No information available.

## Numerical measures of toxicity - Product Information

## The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 1357 mg/kg

 ATEmix (dermal)
 7150 mg/kg

#### Other information

Conclusions are drawn from sources other than direct testing.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

· Harmful to aquatic life with long lasting effects

## Acute aquatic toxicity - Product Information

Fish No information available

Crustacea No information available

Algae/aquatic plants No information available

## Acute aquatic toxicity - Component Information

Component	weight-%	Algae/aquatic plants	Fish	Toxicity to daphnia and other aquatic invertebrates
Aluminum Chloried	< 30%		LC50 (96 h ) 6.2 - 11.9 mg/L	EC50 (48 h Static) = 3.9 mg/L
7446-70-0			(Oncorhynchus mykiss)	(Daphnia magna)
			LC50 (96 h flow-through) 5.31 - 7.2 mg/L	
			(Oncorhynchus mykiss)	
			LC50 (96 h ) = 27.1 mg/L	
			(Gambusia affinis)	

\_\_\_\_\_\_

<sup>&</sup>lt;sup>1</sup> Environmental Quality and Safety, Supplemental. (Academic Press, 111 5th., Ave., New York, NY 10003) V.1- 1975-

<sup>&</sup>lt;sup>2</sup> British Journal of Industrial Medicine. (British Medical Journal, 1172 Commonwealth Ave., Boston, MA 02134) V.1- 1944-

## Persistence and degradability

### Persistence and degradability

No information available

## Bioaccumulative potential

#### Bioaccumulative potential

No information available.

#### Mobility

## Mobility

No information available

## Results of PBT and vPvB assessment

## PBT and vPvB assessment

No information available

#### Other adverse effects

#### Other information

No other ecological studies have been carried out on this product.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

## Disposal of wastes

Do NOT mix with other chemical wastes. Avoid landfilling liquids. Do not put solutions containing this product into sewer systems. Dispose of product in an approved chemical waste landfill or incinerate in accordance with applicable Federal, state and local regulations.

## Contaminated packaging

Do not reuse empty containers. Since empty containers retain product residue, follow label warnings even after container is emptied.

## RCRA

Is the unused product a RCRA hazardous waste if discarded? (Yes/No) Yes

If yes, the EPA Hazardous Waste Code is: D002 (corrosivity)

## 14. TRANSPORT INFORMATION

<u>DOT</u> Regulated

DOT UN/NA Number UN2581

Proper shipping name ALUMINUM CHLORIDE SOLUTION

Hazard class 8
Packing group III
ERG Number 154

ICAO/IATA Regulated

UN number UN2581

Proper shipping name ALUMINUM CHLORIDE SOLUTION

Hazard class

\_\_\_\_\_\_

Packing group III ERG Code 8L

IMDG Regulated

UN number UN2581

Proper shipping name ALUMINUM CHLORIDE SOLUTION

Hazard class 8
Packing group III
EmS F-A; S-B

# 15. REGULATORY INFORMATION

## **International Inventories**

## TSCA (United States)

All ingredients are on the inventory or exempt from listing

#### Australia (AICS)

All ingredients are on the inventory or exempt from listing

#### Canada (DSL)

All ingredients are on the inventory or exempt from listing

#### Canada (NDSL)

None of the ingredients are on the inventory.

## China (IECSC)

All ingredients are on the inventory or exempt from listing

## **EINECS (European Inventory of Existing Chemical Substances)**

All ingredients are on the inventory or exempt from listing

## **ELINCS (European List of Notified Chemical Substances)**

None of the ingredients are on the inventory.

## **ENCS (Japan)**

All ingredients are on the inventory or exempt from listing

#### South Korea (KECL)

All ingredients are on the inventory or exempt from listing

### **Philippines (PICCS)**

All ingredients are on the inventory or exempt from listing

## Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

\_\_\_\_\_

\_\_\_\_\_

### U.S. Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive hazard	No

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Aluminum Chloride 7446-70-0		
Massachusetts Right to Know Law	Present	
Minnesota Hazardous Substance List	Present	
New Jersey Right to Know List	sn 0057	
Pennsylvania Right to Know List	Present (dust, as AI) Present	

## 16. OTHER INFORMATION

NFPA Rating Health - 2 Flammability - 0 Instability - 0 Special Hazard - COR

HMIS Rating Health - 2 Flammability - 0 Physical hazards - 0 Personal protection - B

Product code 3207B

Revision date 2016-09-06

Revision number 1.02

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**