

According to Federal Regulation 29 CFR 1910.1200

SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name:	WE-C61	
Type of product:	Mixture	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses:	Processing aid for industrial applications.	
Uses advised against:	None.	
1.3. Details of the supplier of the safety data sheet		
Company:	Anderson Chemical Company 325 S Davis Avenue Litchfield, MN 55355 United States	
Telephone:	320-693-2477	
Telefax:	320-693-8238	
Website:	www.accomn.com	
1.4. Emergency telephone number800-424-9300 CHEMTREC24-hour emergency number:SECTION 2. Hazards identification		
2.1. Classification of the substance of	or mixture	
Classification according to paragraph (Not classified.	d) of Regulation 29 CFR 1910.1200:	
2.2. Label elements		
Labelling according to paragraph (f) of	Regulation 29 CFR 1910.1200:	

Hazard symbol(s):	None.		
Signal word:	None.		
Hazard statement(s):	None.		
Precautionary statement(s):	None.		
2.3. Other hazards			
Spills produce extremely slippery surfaces.			
SECTION 3. Composition/information on ingredients			
3.1 Substances Not applicable, this product is not a substance.			
3.2 Mixtures			
Hazardous components			
Distillates (petroleum), hydrotreated light			
Concentration/ gamme :	20 - 30%		
CAS Number:	64742-47-8		
Classification according to paragraph (d) of Regulation 29 CFR 1910.1200:	Asp. Tox. 1;H304		
Notes Does not result in classification of the mixture if the kinematic viscosity is greater than 20.5 mm ² /s measured at 40°C.			
Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched			
Concentration/ gamme :	< 5%		
CAS Number:	69011-36-5		
Classification according to paragraph (d) of Regulation 29 CFR 1910.1200:	Acute Tox. 4;H302, Eye Dam. 1;H318		
For explanation of abbreviations see section 16			
SECTION 4: First aid measures			

4.1. Description of first aid measures

Inhalation:

Move to fresh air. No hazards which require special first aid measures.

WE-C61

Skin contact:

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. In case of persistent skin irritation, consult a physician.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.

Ingestion:

Rinse mouth with water. Do NOT induce vomiting. Call a physician or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

None under normal use.

4.3. Indication of any immediate medical attention and special treatment needed.

None reasonably foreseeable.

Other information: None.

SECTION 5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water. Water spray. Foam. Carbon dioxide (CO2). Dry powder. Warning! Spills produce extremely slipper surfaces.

Unsuitable extinguishing media: None known

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products:

Thermal decomposition may produce: Carbon oxides (COx). Nitrogen oxides (NOx). Ammoia. Hydrogen chloride gas. Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

5.3. Advice for fire-fighters

Protective measures: Wear self-contained breathing apparatus and protective suit.

Other information: Spills produce extremely slippery surfaces.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:

Do not touch or walk through spilled material. Spills produce extremely slippery surfaces.

Protective equipment: Wear adequate personal protective equipment (see Section 8 Exposure Controls/Personal Protection).

Emergency procedures: Keep people away from spill/leak. Prevent further leakage or spillage if safe to do so.

6.2. Environmental precautions

As with all chemical products, do not flush to surface water.

6.3. Methods and material for containment and cleaning up

Small spills: <u>Do not flush with water.</u> Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

Large spills: <u>Do not flush with water.</u> Dam up. Soak up with inert absorbent material. Clean up promptly by scoop or vacuum.

Residues: <u>After cleaning</u>, flush away traces with water.

6.4. Reference to other sections

SECTION 7: Handling and storage; SECTION 8: Exposure controls/personal protection; SECTION 13: Disposal considerations;

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Renders surfaces extremely slippery when spilled. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities.

Keep away from heat and sources of ignition. Freezing will affect the physical condition and may damage the material. Incompatible with oxidizing agents.

7.3. Specific end use(s)

This information is not available.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits: <u>Distillates (petroleum), hydrotreated light</u> <u>ACGIH</u>: 200 mg/m³ (8-hour)

8.2. Exposure controls

Print date: **18/02/2021**

Appropriate engineering controls:

Ensure adequate ventilation, especially in confined areas. Use local exhaust if misting occurs. Natural ventilation is adequate in absence of mists.

Individual protection measures, such as personal protective equipment:

a) *Eye/face protection:* Safety glasses with side-shields.

b) Skin protection:
i) Wear coveralls and/or chemical apron and rubber footwear where physical contact can occur.
ii) Hand protection:
PVC or other plastic material gloves.

c) Respiratory protection: No personal respiratory protective equipment normally required.

d) Additional advice:

Wash hands and face before breaks and immediately after handling the product. Wash hands before breaks and at the end of workday. Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls:

Do not allow uncontrolled discharge of product into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

a) Appearance:	Viscous liquid, Milky.
b) Odour:	Aliphatic.
c) Odour Threshold:	No data available.
d) pH:	Not applicable
e) Melting point/freezing point:	< 5°C
f) Initial boiling point and boiling range:	> 100°C
g) Flash point:	Does not flash.
h) Evaporation rate:	No data available.
i) Flammability (solid, gas):	Not applicable.
j) Upper/lower flammability or explosive limits:	Not expected to create explosive atmospheres.
k) Vanour prossura	2.3 kPa @ 20°C
k) Vapour pressure:	2.5 KFa @ 20 C

n) Solubility(ies):	Completely miscible.	
o) Partition coefficient:	Not applicable.	
p) Autoignition temperature:	Not applicable.	
q) Decomposition temperature:	> 150°C	
r) Viscosity:	$> 20.5 \text{ mm}^2/\text{s} @ 40^\circ\text{C}$	
s) Explosive properties:	Not expected to be explosive based on the chemical structure.	
t) Oxidizing properties:	Not expected to be oxidising based on the chemical structure.	
9.2. Other information		
None.		
SECTION 10. Stability and reactivity		
10.1. Reactivity		
Stable under recommended storage conditions.		
10.2. Chemical stability		
Stable under recommended storage conditions.		
10.3. Possibility of hazardous reactions		
Oxidizing may cause exothermic reactions.		
10.4. Conditions to avoid		
Protect from frost, heat and sunlight.		
10.5. Incompatible materials		
Oxidizing agents.		
10.6. Hazardous decomposition productsThermal decomposition may produce: Carbon oxides (COx). Nitrogen oxides (NOx). Hydrogen chloride gas.Ammonia. Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.		
SECTION 11. Toxicological information		
11.1. Information on toxicological effects		
Information on the product as supplied:		

Acute oral toxicity:	LD50/oral/rat > 5000 mg/kg
Acute dermal toxicity:	LD50/dermal/rat > 5000 mg/kg

Acute inhalation toxicity:	The product is not expected to be toxic by inhalation.
Skin corrosion/irritation:	Non-irritating to skin.
Serious eye damage/eye irritation:	Not irritating. (OECD 437)
Respiratory/skin sensitisation:	Not sensitizing.
Mutagenicity:	Not mutagenic.
Carcinogenicity:	Not carcinogenic.
Reproductive toxicity:	Not toxic for reproduction.
STOT - single exposure:	No known effects.
STOT - repeated exposure:	No known effects.
Aspiration hazard:	Due to the viscosity, this product does not present an aspiration hazard.

Relevant information on the hazardous components:

Distillates (petroleum), hydrotreated light

Acute oral toxicity:	LD50/oral/rat > 5000 mg/kg (OECD 401)
Acute dermal toxicity:	LD50/dermal/rabbit > 5000 mg/kg (OECD 402)
Acute inhalation toxicity:	LC50/inhalation/4 h/rat = 4951 mg/m^3 (OECD 403) (Based on results obtained from tests on analogous products.)
Skin corrosion/irritation:	Not irritating. (OECD 404) Repeated exposure may cause skin dryness or cracking.
Serious eye damage/eye irritation:	Not irritating. (OECD 405)
Respiratory/skin sensitisation:	By analogy with similar products, this product is not expected to be sensitizing. (OECD 406)
Mutagenicity:	Not mutagenic. (OECD 471, 473, 474, 476, 478, 479)
Carcinogenicity:	Carcinogenicity study in rats (OECD 451): Negative
Reproductive toxicity:	By analogy with similar substances, this substance is not expected to be toxic for reproduction. NOAEL/rat = 300 ppm (OECD 421)
STOT - single exposure:	No known effects.
STOT - repeated exposure:	Based on available data, product is not expexted to demonstrate chronic toxic effects. NOAEL/oral/rat/90 days \geq 3000 mg/kg/day (OECD 408) (Based on results obtained from tests on analogous products.).
Aspiration hazard:	
May be fatal if swallowed and enters airways. Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched	
Acute oral toxicity:	LD50/oral/rat = 500 - 2000 mg/kg

Acute dermal toxicity:	LD50/dermal/rabbit > 2000 mg/kg
Acute inhalation toxicity:	No data available.
Skin corrosion/irritation:	Not irritating. (OECD 404)
Serious eye damage/eye irritation:	Causes serious eye irritation. (OECD 405)
Respiratory/skin sensitisation:	The results of testing on guinea pigs showed this material to be non-sensitizing.
Mutagenicity:	In vitro test did not show mutagenic effects. In vivo tests did not show mutagenic effects.
Carcinogenicity:	Based on the absence of mutagenicity, it is unlikely that the substance is carcinogenic.
Reproductive toxicity:	Based on available data, product is not expected to be toxic for reproduction Two-Generation Reproduction Toxicity (OECD 416) NOAEL/rat > 250 mg/kg/day Prenatal Development Toxicity Study (OECD 414) NOAEL/Maternal toxicity/rat > 50 mg/kg/day NOAEL/Developmental toxicity/rat > 50 mg/kg/day
STOT - single exposure:	No known effects.
STOT - repeated exposure:	Based on available data, product is not expected to demonstrate chronic toxic effects NOAEL/oral/rat/600 days = 50 mg/kg/day
Aspiration hazard:	No known effects.
Aspiration hazard: SECTION 12. Ecological information	No known effects.
	No known effects.
SECTION 12. Ecological information	No known effects.
SECTION 12. Ecological information 12.1. Toxicity	No known effects. LC50/Fish/96 hours = 10-100 mg/L (Estimated)
SECTION 12. Ecological information 12.1. Toxicity Information on the product as supplied:	
SECTION 12. Ecological information 12.1. Toxicity Information on the product as supplied: Acute toxicity to fish:	LC50/Fish/96 hours = 10-100 mg/L (Estimated)
<u>SECTION 12. Ecological information</u> <i>12.1. Toxicity</i> <u>Information on the product as supplied:</u> Acute toxicity to fish: Acute toxicity to invertebrates:	LC50/Fish/96 hours = 10-100 mg/L (Estimated) EC50/Daphnia magna/48 hours = 10-100 mg/L (Estimated) Algal inhibition tests are not appropriate. The flocculation characteristics of the product interfere directly in the test medium preventing homogenous distribution which
SECTION 12. Ecological information 12.1. Toxicity Information on the product as supplied: Acute toxicity to fish: Acute toxicity to invertebrates: Acute toxicity to algae:	LC50/Fish/96 hours = 10-100 mg/L (Estimated) EC50/Daphnia magna/48 hours = 10-100 mg/L (Estimated) Algal inhibition tests are not appropriate. The flocculation characteristics of the product interfere directly in the test medium preventing homogenous distribution which invalidates the test.
SECTION 12. Ecological information 12.1. Toxicity Information on the product as supplied: Acute toxicity to fish: Acute toxicity to invertebrates: Acute toxicity to algae: Chronic toxicity to fish:	LC50/Fish/96 hours = 10-100 mg/L (Estimated) EC50/Daphnia magna/48 hours = 10-100 mg/L (Estimated) Algal inhibition tests are not appropriate. The flocculation characteristics of the product interfere directly in the test medium preventing homogenous distribution which invalidates the test. No data available.
SECTION 12. Ecological information 12.1. Toxicity Information on the product as supplied: Acute toxicity to fish: Acute toxicity to invertebrates: Acute toxicity to algae: Chronic toxicity to fish: Chronic toxicity to invertebrates:	LC50/Fish/96 hours = 10-100 mg/L (Estimated) EC50/Daphnia magna/48 hours = 10-100 mg/L (Estimated) Algal inhibition tests are not appropriate. The flocculation characteristics of the product interfere directly in the test medium preventing homogenous distribution which invalidates the test. No data available. No data available.

Relevant information on the hazardous components:

Distillates (petroleum), hydrotreated light

Acute toxicity to fish:	LC0/Oncorhynchus mykiss/96 hours > 1000 mg/L (OECD 203)	
Acute toxicity to invertebrates:	EC0/Daphnia magna/48 hours > 1000 mg/L (OECD 202)	
Acute toxicity to algae:	IC0/Pseudokirchneriella subcapitata/72 hours > 1000 mg/L (OECD 201)	
Chronic toxicity to fish:	NOEC/Oncorhynchus mykiss/28 days > 1000 mg/L	
Chronic toxicity to invertebrates:	NOEC/Daphnia magna/21 days > 1000 mg/L	
Toxicity to microorganisms:	EC50/Tetrahymena pyriformis/ 48h > 1000 mg/L	
Effects on terrestrial organisms:	No data available.	
Sediment toxicity:	No data available. Readily biodegradable, exposure to sediment is unlikely.	
Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched		
Acute toxicity to fish:	LC50/Cyprinus carpio/96 hours = 1 - 10 mg/L (OECD 203)	
Acute toxicity to fish: Acute toxicity to invertebrates:	LC50/Cyprinus carpio/96 hours = 1 - 10 mg/L (OECD 203) EC50/Daphnia/48 hours = 1 - 10 mg/L (OECD 202)	
<i>,</i>		
Acute toxicity to invertebrates:	EC50/Daphnia/48 hours = $1 - 10 \text{ mg/L}$ (OECD 202)	
Acute toxicity to invertebrates: Acute toxicity to algae:	EC50/Daphnia/48 hours = 1 - 10 mg/L (OECD 202) IC50/Desmodesmus subspicatus/72 hours = 1 - 10 mg/L (OECD 201)	
Acute toxicity to invertebrates: Acute toxicity to algae: Chronic toxicity to fish:	EC50/Daphnia/48 hours = 1 - 10 mg/L (OECD 202) IC50/Desmodesmus subspicatus/72 hours = 1 - 10 mg/L (OECD 201) No data available.	
Acute toxicity to invertebrates: Acute toxicity to algae: Chronic toxicity to fish: Chronic toxicity to invertebrates:	EC50/Daphnia/48 hours = 1 - 10 mg/L (OECD 202) IC50/Desmodesmus subspicatus/72 hours = 1 - 10 mg/L (OECD 201) No data available. NOEC/Daphnia magna/21 days > 1 mg/L (OECD 202)	
Acute toxicity to invertebrates: Acute toxicity to algae: Chronic toxicity to fish: Chronic toxicity to invertebrates: Toxicity to microorganisms:	EC50/Daphnia/48 hours = 1 - 10 mg/L (OECD 202) IC50/Desmodesmus subspicatus/72 hours = 1 - 10 mg/L (OECD 201) No data available. NOEC/Daphnia magna/21 days > 1 mg/L (OECD 202) EC10/activated sludge/17 h > 10000 mg/L (DIN 38412-8)	

12.2. Persistence and degradability

Information on the product as supplied:

Degradation:	Based on degradation data of components, this product is expected to be readily	
	biodegradable.	
	At natural pHs (>6) the polymer degrades due to hydrolysis to more than 70% in	
Hydrolysis:	28 days. The hydrolysis products are not harmful to aquatic organisms.	
Photolysis:	No data available.	
Relevant information on the hazardous components:		
Distillates (petroleum), hydrotreated light		
Degradation:	Readily biodegradable. 67.6%/28 days (OECD 301F); 68.8%/28 days (OECD 306); 61.2%/61 days (OECD 304A)	
Hydrolysis:	Does not hydrolyse.	

Photolysis:	No data available.	
Poly(oxy-1,2-ethanediyl), a-tridecy	l-w-hydroxy-, branched	
Degradation:	Readily biodegradable. > 60% / 28 days (OECD 301 B)	
Hydrolysis:	Does not hydrolyse.	
Photolysis:	No data available.	
12.3. Bioaccumulative potential		
Information on the product as supplied.		
The product is not expected to bioad	ccumulate.	
Partition co-efficient (Log Pow):	Not applicable.	
Bioconcentration factor (BCF):	No data available.	
Relevant information on the hazardous components:		
Distillates (petroleum), hydrotreate	ed light	
Partition co-efficient (Log Pow):	3 - 6	
Bioconcentration factor (BCF):	No data available.	
Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched		
Partition co-efficient (Log Pow):	> 3	
Bioconcentration factor (BCF):	No data available.	
12.4. Mobility in soil		
Information on the product as supplied:		
No data available.		
Relevant information on the hazardous components:		
Distillates (petroleum), hydrotreated light		
Koc: No data available.		
Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched		
<i>Koc:</i> > 5000		
12.5. Other adverse effects		

None known.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products:

Dispose of in accordance with local regulations.

Contaminated packaging:

Rinse empty containers with water and use the rinse-water to prepare the working solution. If recycling is not practicable, dispose of in compliance with local regulations. Can be landfilled or incinerated, when in compliance with local regulations.

Recycling:

Store containers and offer for recycling of material when in accordance with the local regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified.

Sea transport (IMDG)

Not classified.

Air transport (IATA)

Not classified.

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Information on the product as supplied:

TSCA Chemical Substances Inventory:

All components of this product are either listed on the inventory or are exempt from listing.

US SARA Reporting Requirements:

SARA (Section 311/312) hazard class: Not concerned.

SARA Title III Sections:

Section 302 (TPQ) - Reportable Quantity: Not concerned.

Section 304 - Reportable Quantity: Not concerned.

Section 313 (De minimis concentration) Not concerned.

<u>Clean Water Act</u> Section 311 Hazardous Substances (40 CFR 117.3) - Reportable Quantity: Not concerned.

<u>Clean Air Act</u> Section 112(r) Accidental release prevention requirements (40 CFR 68) - Reportable Quantity: Not concerned.

<u>CERCLA</u> Hazardous Substances (40 CFR 302.4) - Reportable Quantity: Not concerned.

<u>RCRA status</u> Not RCRA hazardous.

California Proposition 65 Information:

WARNING! This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm, Acrylamide.

SECTION 16. Other information

NFPA and HMIS Ratings:

<u>NFPA:</u>

Health:	0
Flammability:	1
Instability:	0



HMIS:

Health:	0
Flammability:	1
Physical Hazard:	0
PPE Code:	В

This data sheet contains changes from the previous version in section(s):

SECTION 5. Fire-fighting measures, SECTION 8. Exposure controls/personal protection, SECTION 16. Other Information.

Key or legend to abbreviations and acronyms used in the safety data sheet:

Acronyms STOT= Specific target organ toxicity

Abbreviations Acute Tox. 4 = Acute toxicity Category Code 4 Asp. Tox. 1 = Aspiration hazard Category Code 1 Eye Dam 1 = Serious eye damage/eye irritation Category Code 1

*H-Phrases*H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H318 - Causes serious eye damage *Training Advice:*Do not handle until all safety precautions have been read and understood

This SDS was prepared in accordance with the following:

Federal Regulation 29 CFR 1910.1200

Revision Number: 20.01.a

ENCC046

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.