

SAFETY DATA SHEET

Issue Date: 09-Jul-2019	Revision Date: 03-May-202	21 Version 1
1. Identification		
<u>Product identifier</u> Product Name:	Potassium Hydroxide 45% ULC	
<u>Other means of identification</u> Product Code: Synonyms: UN/ID No:	56034 Caustic potash; Liquid potash; Po UN1814	Potassium hydrate; Potassium lye; Potash lye; Lye
<u>Recommended use of the chemica</u> Recommended Use: Restrictions on Use:	<u>and restrictions on use</u> Industrial, Manufacturing or Labo None known	oratory use.
Details of the supplier of the safety data sheet		
Manufacturer:	Hawkins, Inc. 2381 Rosegate Roseville, MN 55113 (612) 331-6910	
Emergency telephone number Emergency Telephone:	CHEMTREC: 1-800-424-9300 (U	JS) / +1 703-741-5970 (International)
2. Hazard(s) identification		

<u>Classification</u> This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Hazards not otherwise classified (HNOC) Not applicable

Label elements Signal word:

Danger

Hazard statements:

Harmful if swallowed Causes severe skin burns and eye damage May be corrosive to metals



Precautionary Statements - Prevention:

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dusts or mists Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

Precautionary Statements - Response:

Immediately call a POISON CENTER or doctor IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth Do NOT induce vomiting Absorb spillage to prevent material damage

Precautionary Statements - Storage:

Store locked up Store in corrosion resistant container with a resistant inner liner

Precautionary Statements - Disposal:

Dispose of contents/container to an approved waste disposal plant

Unknown Acute toxicity: Not applicable

Other Information

Not applicable

3. Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Potassium hydroxide	1310-58-3	43.65-46.35
Water	7732-18-5	Balance

Any concentration shown as a range is due to batch variation.

4. First-aid measures

Description of first aid measures General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. After exposure, there may be a time delay before irritation and other effects occur.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Discard contaminated leather goods. Get immediate medical advice/attention.

outh		
8).) Use		
Most important symptoms and effects, both acute and delayed		
d		
) U		

5. Fire-fighting measures

Suitable Extinguishing Media	Use water as extinguishing agent with caution. Contact with water will generate considerable heat and cause spattering if applied directly to the product.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Mixing with water, acid, or incompatibles may cause splattering and release of heat. Heat released may be sufficient to ignite combustible materials. Reacts with ammonium salts to make flammable ammonia. Contact with metals may evolve flammable hydrogen gas.
Hazardous combustion products	Potassium Oxides.
Explosion Data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for conta	ainment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways.
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

7. Handling and storage

Precautions for safe handling Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. When diluting, always add the product to water. Never add water to the product. Mixing concentrated solutions with water, acid, or incompatibles may cause splattering and release of heat. Heat released may be sufficient to ignite combustible materials. Lethal concentrations of carbon monoxide gas may form upon contact with reducing sugars, food, and beverage products in enclosed spaces. Reacts with ammonium salts to make flammable ammonia. Contact with most metals may produce flammable hydrogen gas.
Conditions for safe storage, includ	ng any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from
	moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Keep away from heat.
Incompatible Materials	Oxidizing agent. Acids. Bases. Water. Halogenated compounds. Maleic anhydride. Reducing sugars. Ammonium salts. Glycols. Flammable liquids. Prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc, or other alkali-sensitive metals or alloys.
Packaging materials	High density plastics, glass fiber, glass bottles, porcelain, carbon steel, glazed stoneware, polyethylene, nickel, or nickel alloys.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Exposure Guidelines	Vacated limits revoked by (11th Cir., 1992).	the Court of Appeals decision in	AFL-CIO v. OSHA, 965 F.2d 962
<u>Appropriate engineering contro</u> Engineering controls	bls Showers Eyewash stations Ventilation systems.		
Individual protection measures, such as personal protective equipment			
Hand protection	Wear suitable gloves. Imp	Wear suitable gloves. Impervious gloves.	
Skin and body protection	Wear suitable protective c	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.	
Respiratory protection		No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	
Environmental exposure control	Do not allow into any sewe	er, on the ground or into any body	y of water.
General hygiene consideration	s Wear suitable gloves and	eye/face protection. Do not eat, c	Irink or smoke when using this

product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

internation on suble physical and	onennear properties
Physical State:	Liquid
Appearance:	Clear
Color:	Colorless
Odor:	Odorless
Odor Threshold:	No information available
pH:	No information available
Salt Out Point:	No information available
Melting Point/Freezing Point:	-27 °C / -17 °F
Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Evaporation Rate (BuAc=1):	No information available
Flammability (solid, gas):	No information available
Flammability Limits in Air:	No information available
Vapor Pressure (mm Hg):	No information available
Vapor density (Air =1):	No information available
Specific Gravity (H ₂ O=1):	1.459
Water Solubility:	Completely soluble
Solubility(ies):	No information available
Partition Coefficient	No information available
(n-octanol/water):	
Autoignition Temperature:	No information available
Decomposition Temperature:	No information available
Kinematic Viscosity:	No information available
Dynamic Viscosity:	No information available
Other information	
Explosive properties	No information available
Oxidizing properties	No information available

56.11

10. Stability and reactivity

Molecular Weight:

Reactivity	Extremely corrosive to aluminum. Concentrated solutions react violently with water, generating considerable heat. Contact with most metals will generate flammable hydrogen gas.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization will not occur. Mixing with water, acid, or incompatibles may cause splattering and release of heat. Heat released may be sufficient to ignite combustible materials. Lethal concentrations of carbon monoxide gas may form upon contact with reducing sugars, food, and beverage products in enclosed spaces. Contact with most metals will generate flammable hydrogen gas. Extremely corrosive to aluminum. Reacts with ammonium salts to make ammonia, which is a fire hazard.
Conditions to avoid	Exposure to air or moisture over prolonged periods. Rapidly absorbs moisture and carbon dioxide from the air forming potassium carbonate. Accelerated corrosion can occur in areas where equipment is subjected to extremely high temperatures.
Incompatible Materials	Oxidizing agent. Acids. Bases. Water. Halogenated compounds. Maleic anhydride. Reducing sugars. Ammonium salts. Glycols. Flammable liquids. Prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc, or other alkali-sensitive metals or alloys.

Hazardous decomposition products Potassium oxide.

11. Toxicological information

Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes severe burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Numerical measures of toxicity Acute Toxicity:

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral)

1,078.70 mg/kg

Component Information

Chemical name	Oral LD50 :	Dermal LD50 :	LC50 (Lethal Concentration):
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
Water 7732-18-5	> 90 mL/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure Skin corrosion/irritation Causes severe burns.

Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.

STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Other Adverse Effects:	No information available.

12. Ecological information

Ecotoxicity	The environmental impact of this product has not been fully investigated.
Persistence and Degradability:	No information available.
Bioaccumulation:	There is no data for this product.

Component Information

Chemical name	Partition Coefficient:
Potassium hydroxide	0.65
1310-58-3	0.83

Mobility:	No information available.
Other Adverse Effects:	No information available.

13. Disposal considerations

<u>Waste treatment methods</u> Waste from residues/unused products	Dispose of in accordance with local, state, and national regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number (product as supplied)	D002.

14. Transport information

DOT	
UN/ID No	UN1814
Proper shipping name	POTASSIUM HYDROXIDE, SOLUTION
Hazard Class	8
Packing Group	II
Description	UN1814, POTASSIUM HYDROXIDE, SOLUTION, 8, PG II



15. Regulatory information

International Inventories

Chemical name	TSCA	AICS	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS
---------------	------	------	-----	------	--------	--------	------	-------	------	-------

Potassium hydroxide 1310-58-3	Present ACTIVE	Present	Present	-	Present	-	Present	Present	Present	Present
Water 7732-18-5	Present ACTIVE	Present	Present	-	Present	-	Present	Present	Present	Present

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 and later calendar years will need to be consistent with updated hazard classifications.

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	SARA Extremely Hazardous Substances TPQ
Potassium hydroxide 1310-58-3	1000 lb	-	

Clean Water Act (CWA)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb	-	-	Х

OSHA - Process Safety Management - Highly Hazardous Chemicals

This product does not contain any substances regulated under Process Safety Management (29 CFR 1910.119).

Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS)

This product does not contain any substances regulated under the Chemical Facility Anti-Terrorism Standards (6 CFR 27).

16. Other information

Prepared By:	HSE Department
Issue Date:	09-Jul-2019
Revision Date:	03-May-2021
Revision Note:	Format change. Reviewed and Re-issued.

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

End of Safety Data Sheet