Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Issue date: 10/6/2021 Version: 1.0

SECTION 1: Identification

1.1. Identification

| Product form | : | Mixture |
|--------------|---|---------|
| Product name | : | PureMax |

1.2. Recommended use and restrictions on use

| Use of the substance/mixture |
|------------------------------|
| Recommended use |
| Restrictions on use |

Disinfectant
Biocidal products (e.g. Disinfectants, pest control)
Other

PureLine Consumer Products, LLC. 1241 N. Ellis Street Bensenville, IL 60106 U.S. T 847-963-8465

1.4. Emergency telephone number

Emergency number

1.3. Supplier

: (800)255-3924, +1 (813)248-0585 [ChemTel]

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Oxidizing liquids Category 1 Acute toxicity (oral) Category 4 Skin corrosion/irritation Category 1A Serious eye damage/eye irritation Category 1

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)

- Danger
 May cause fire or explosion; strong oxidizer Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye damage
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep/Store away from combustible materials Take any precaution to avoid mixing with combustible materials Do not breathe mist, spray, vapors.

Wash hands, forearms and face thoroughly after handling.

- Do not eat, drink or smoke when using this product.
- Wear protective gloves, protective clothing, eye protection, face protection.
- Wear fire/flame resistant/retardant clothing.
 - If swallowed: Call a POISON CENTER if you feel unwell.
 - If swallowed: rinse mouth. Do NOT induce vomiting.
 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing.

May cause fire or explosion; strong oxidizer

Causes severe skin burns and eye damage

Harmful if swallowed

Causes serious eye damage

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes

Immediately call a POISON CENTER.

Specific treatment (see supplemental first aid instruction on this label).

Rinse mouth.

Wash contaminated clothing before reuse.

In case of fire: Use Flood with plenty of water to extinguish.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % |
|------------------------------|--------------------|--------|
| sodium chlorate | CAS-No.: 7775-09-9 | 40 |
| hydrogen peroxide solution % | CAS-No.: 7722-84-1 | 7 – 10 |

The specific chemical\ component identities and/or the exact component percentages of this material may be withheld as trade secrets. This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1). Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

SECTION 4: First-aid measures

4.1. Description of first aid measures

| First-aid measures general | : Call a physician immediately. |
|---------------------------------------|---|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately. |
| First-aid measures after eye contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| First-aid measures after ingestion | : Rinse mouth. Do not induce vomiting. Call a physician immediately. |
| 4.2. Most important symptoms and e | ffects (acute and delayed) |
| Effects on humans | : Indication of any immediate medical attention and special treatment needed: Contains sodium chlorite/chlorate. Consult literature for specific antidotes. Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and |

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

| Expected Symptoms/Effects, Acute and Delayed Symptoms/effects after inhalation | May cause cyanosis. Nausea. May cause gastric irritation. Gastric perforation. Shortness of breath. Coughing. Dry/sore throat. Impaired concentration. May cause respiratory irritation. |
|---|---|
| Symptoms/effects after skin contact | : Burns. |
| Symptoms/effects after eye contact | : Serious damage to eyes. |
| Symptoms/effects after ingestion | : Burns. Pulmonary edema. |

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

| 5.1. Suitable (and unsuitable) extinguishin | ıg media |
|---|---|
| Suitable extinguishing media Unsuitable extinguishing media | Flood fire area with water from a distance.Carbon dioxide (CO2). dry chemical powder. Foam. |
| 5.2. Specific hazards arising from the cher | mical |
| Fire hazard Hazardous decomposition products in case of fire | : May intensify fire; oxidizer. : Toxic fumes may be released. |
| 5.3. Special protective equipment and pre- | cautions for fire-fighters |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
| SECTION 6: Accidental release measu | ires |
| 6.1. Personal precautions, protective equi | pment and emergency procedures |
| 6.1.1. For non-emergency personnel | |
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe mist, spray, vapors. Avoid contact with skin, eyes and clothing. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| 6.2. Environmental precautions | |
| Avoid release to the environment. | |
| 6.3. Methods and material for containment | t and cleaning up |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Other information | : Dispose of materials or solid residues at an authorized site. |
| 6.4. Reference to other sections | |
| For further information refer to section 13. | |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Precautions for safe handling | : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open |

| Precautions for sale handling | flames and other ignition sources. No smoking. Wear personal protective equipment. Do not |
|-------------------------------|---|
| | breathe mist, spray, vapors. Do not get in eyes, on skin, or on clothing. |
| Handling temperature | : ≤122 °F |
| Hygiene measures | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Incompatible materials

- : Store locked up. Store in a well-ventilated place. Keep cool.
- : Combustible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| PureMax | | |
|--|--|--|
| No additional information available | | |
| sodium chlorate (7775-09-9) | | |
| No additional information available | | |
| hydrogen peroxide solution % (7722-84-1) | | |
| USA - ACGIH - Occupational Exposure Limits | | |
| Local name | Hydrogen peroxide | |
| ACGIH OEL TWA [ppm] | 1 ppm | |
| Remark (ACGIH) | TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans) | |
| Regulatory reference | ACGIH 2021 | |
| USA - OSHA - Occupational Exposure Limits | | |
| Local name | Hydrogen peroxide | |
| OSHA PEL TWA [1] | 1.4 mg/m³ | |
| OSHA PEL TWA [2] | 1 ppm | |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 | |

8.2. Appropriate engineering controls

Appropriate engineering controls

- : Ensure good ventilation of the work station.
- Environmental exposure controls
- : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Corrosionproof clothing. Gloves.

| Hand protection: | |
|--|--|
| Protective gloves | |
| Eye protection: | |
| Safety glasses | |
| Skin and body protection: | |
| Wear suitable protective clothing | |
| Respiratory protection: | |
| In case of insufficient ventilation, wear suitable respiratory equipment | |

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : | Liquid |
|---|---|------------------------|
| Color | : | light blue |
| Odor | : | Mild odour |
| Odor threshold | : | No data available |
| рН | : | 5 |
| Melting point | : | Not applicable |
| Freezing point | : | No data available |
| Boiling point | : | 219 °F |
| Flash point | : | No data available |
| Relative evaporation rate (butyl acetate=1) | : | No data available |
| Flammability (solid, gas) | : | Not applicable. |
| Vapor pressure | : | < 0.1 kPa |
| Relative vapor density at 20 °C | : | No data available |
| Relative density | : | No data available |
| Density | : | 1.37 g/cm ³ |
| Solubility | : | Miscible with water. |
| Partition coefficient n-octanol/water (Log Pow) | : | No data available |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity, kinematic | : | No data available |
| Viscosity, dynamic | : | No data available |
| Explosion limits | : | No data available |
| Explosive properties | : | No data available |
| Oxidizing properties | : | No data available |
| | | |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May intensify fire; oxidizer.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Combustible materials. Strong reducing agents. Oxidizing agent. Acids. Amines. alcohols.

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Chlorine.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| Acute toxicity (oral) | : Harmful if swallowed. |
|-----------------------------------|---------------------------------------|
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| PureMax | |
| ATE US (oral) | 1000 mg/kg body weight |
| sodium chlorate (7775-09-9) | |
| ATE US (oral) | 500 mg/kg body weight |
| hydrogen peroxide solution % (77 | /22-84-1) |
| ATE US (oral) | 500 mg/kg body weight |
| ATE US (gases) | 4500 ppmV/4h |
| ATE US (vapors) | 11 mg/l/4h |
| ATE US (dust, mist) | 1.5 mg/l/4h |
| Skin corrosion/irritation | : Causes severe skin burns. pH: 5 |
| Serious eye damage/irritation | : Causes serious eye damage. pH: 5 |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| | 22-84-1) |

| hydrogen peroxide solution % (7722-84-1) | | |
|--|---|--|
| IARC group | 3 - Not classifiable | |
| Reproductive toxicity | : Not classified | |
| STOT-single exposure | : Not classified | |
| STOT-repeated exposure | : Not classified | |
| Aspiration hazard | : Not classified | |
| Viscosity, kinematic | : No data available | |
| Effects on humans | : Indication of any immediate medical attention and special treatment needed: Contains sodium chlorite/chlorate. Consult literature for specific antidotes. Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. If blue coloring appears (lips, ear-lobes, finger-nails), give oxygen treatment as quickly as possible. In cases of cyanosis, administer vitamin C, oxygen, protect from sunlight. | |
| Expected Symptoms/Effects, Acute and Delayed Symptoms/effects after inhalation | May cause cyanosis. Nausea. May cause gastric irritation. Gastric perforation. Shortness of breath. Coughing. Dry/sore throat. Impaired concentration. May cause respiratory irritation. | |
| Symptoms/effects after skin contact | : Burns. | |
| Symptoms/effects after eye contact | : Serious damage to eyes. | |
| Symptoms/effects after ingestion | : Burns. Pulmonary edema. | |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. UN number

| DOT NA No | : | UN3098 |
|---------------|---|--------|
| UN-No. (TDG) | : | UN3098 |
| UN-No. (IMDG) | : | 3098 |
| UN-No. (IATA) | : | 3098 |

14.2. UN proper shipping name

Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) Hazard labels (DOT)

| : | Oxidizing liquid, corrosive, n.o.s. |
|---|-------------------------------------|
| | |

- : OXIDIZING LIQUID, CORROSIVE, N.O.S.
- : OXIDIZING LIQUID, CORROSIVE, N.O.S.
- : Oxidizing liquid, corrosive, n.o.s.

: 5.1 (8) : 5.1, 8

: 5.1 (8)

: 5.1, 8

: 5.1 (8) : 5.1, 8


TDG Transport hazard class(es) (TDG) Hazard labels (TDG)

IMDG

| Transport hazard class(es) (IMDG) | |
|-----------------------------------|--|
| Hazard labels (IMDG) | |

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)



Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

| TDG Special Provisions | 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (3) Despite subsection (1), the technical name for the following dangerous goods is not required |
|--|---|
| | to be shown on a small means of containment: |
| | (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS. |
| ERAP Index | (b) 012900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS. : 1000 |
| Explosive Limit and Limited Quantity Index | : 0 |
| Excepted quantities (TDG) | : E0 |
| Passenger Carrying Ship Index | : Forbidden |
| Passenger Carrying Road Vehicle or Passenger | : Forbidden |
| Carrying Railway Vehicle Index | |
| Emergency Response Guide (ERG) Number | : 140 |
| IMDG | |
| Special provision (IMDG) | : 274 |
| Limited quantities (IMDG) | : 0 |
| Excepted quantities (IMDG) | : E0 |
| Packing instructions (IMDG) | : P502 |
| EmS-No. (Fire) | : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE |
| EmS-No. (Spillage) | : S-Q - SPILLAGE SCHEDULE Quebec - OXIDIZING SUBSTANCES |
| Stowage category (IMDG) | : D |
| Properties and observations (IMDG) | : Causes burns to skin, eyes and mucous membranes.Particular care in handling should be |
| | exercised if packages have become wetted. |
| ΙΑΤΑ | |
| PCA Excepted quantities (IATA) | : E0 |
| PCA Limited quantities (IATA) | : Forbidden |
| PCA limited quantity max net quantity (IATA) | : Forbidden |
| PCA packing instructions (IATA) | : Forbidden |
| PCA max net quantity (IATA) | : Forbidden |
| CAO packing instructions (IATA) | : 553 |
| CAO max net quantity (IATA) | : 2.5L |
| Special provision (IATA) ERG code (IATA) | : A3, A803 : 5C |
| | . 30 |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

| hydrogen peroxide solution % (7722-84-1) | | |
|--|---------|--|
| RQ (Reportable quantity, section 304 of EPA's List of Lists) | 1000 lb | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | 1000 lb | |

| FIFRA Labelling | |
|-------------------------------|---|
| EPA Registration Number | 88341-3 |
| | the Environmental Protection Agency and is subject to certain labeling requirements under federal classification criteria and hazard information required for safety data sheets, and for workplace labels d information as required on the pesticide label. |
| FIFRA Signal Word | Danger |
| FIFRA Precautionary Statement | Keep out of reach of children. |
| FIFRA Human Health Hazards | Danger. Corrosive. Causes irreversible eye damage. Harmful if absorbed through the skin or inhaled. Do not get in eyes or on clothing. Avoid contact with skin, eyes, and clothing. Avoid breathing spray mist. Wear goggles or faceshield. When contact is likely, wear PVC or rubber rainsuit and wash down rainsuit after each use. Wear protective gloves, plastic or rubber. Wear plastic or rubber safety toed boots. Leather and cloth impregnated with sodium chlorate are highly flammable and easily ignited with minor friction. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before re-use. Do not allow contaminated clothing to dry before washing clothing on-site. |
| FIFRA First Aid | IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person Sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED:Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |
| FIFRA Environmental Hazards | This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA. |
| FIFRA Physical Hazard | PureMax is a strong oxidizing agent. Do not contaminate with dirt, oils or organic matter of any sort. Contamination may cause violent chemical reactions, fire and explosion. Clean up all |

equipment.

chemical spills immediately. Allowing spills to dry or concentrate may cause spontaneous combustion. In case of chemical spills, avoid bodily contact and wear appropriate protective

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

| FIFRA Labelling | | |
|-----------------|---|--|
| | For emergency information call: 800-424-9300 (24 hours) Have the product container or label with you when calling a poison control center or doctor or going to treatment. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate for the use of gastric lavage. | |

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

| Component | State or local regulations |
|---|--|
| sodium chlorate(7775-09-9) | U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S. – New York City – Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List |
| hydrogen peroxide solution %(7722-84-1) | U.S New Jersey - Right to Know Hazardous Substance List; U.S. – New York City – Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List |

SECTION 16: Other information

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.