

# SAFETY DATA SHEET

Issue Date 13-Mar-2014

Revision Date 02-Apr-2015

Version 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name	Alkali 110
Other means of identification	
Product Code	011
UN/ID No.	UN1824

1824 None

# Recommended use of the chemical and restrictions on use

Recommended Use	Liquid alkaline cleaner.
Uses advised against	No information available

#### Manufacturer Address

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

### Emergency telephone number

Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

#### Classification

**Synonyms** 

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label elements

**Emergency Overview** Danger Hazard statements Causes severe skin burns and eye damage May be corrosive to metals Odor Odorless **Appearance** No information available Physical state liquid

## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

### Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see Section 4 on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage

### **Precautionary Statements - Storage**

Store locked up

Store in a corrosive resistant container.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

### Other Information

- May be harmful in contact with skin
- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium hydroxide	1310-73-2	48	

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

First aid measures		
Eye contact	Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete rinsing. Get immediate medical attention.	
Skin Contact	Flush with water for 15 minutes. Get medical attention. Remove contaminated clothing and wash before reuse.	
Inhalation	Remove victim to fresh air. If breathing difficulty occurs or persists, get medical attention.	
Ingestion	Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing or unconscious person.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

# **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media No information available.

### Specific hazards arising from the chemical

If the stock solution container breaks, the solution should be handled with care as it is corrosive. Direct contact with water can cause a violent exothermic reaction.

Hazardous combustion productsToxic fumes of sodium oxide.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate nonessential personnel. Ventilate area. Wear appropriate personal protection equipment.
Environmental precautions	See Section 12 for additional ecological information.
Methods for containment	Completely contain spilled material with dikes or sand bags, etc.
Methods for cleaning up	Recover as much material as possible into containers for disposal or reuse. Remaining material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Do not get in eyes, on skin, or clothing. Do not breathe vapors or mists. Do not ingest. Wash thoroughly after handling. Wear protective clothing/equipment. Use with adequate ventilation. NEVER add water to product. ALWAYS add product, with constant stirring, slowly to surface of water to minimize heat generation and spattering.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed and properly labeled. Containers that have been emptied will retain product residue and should be handled as if they were full. Store in a cool, dry, well-ventilated place away from incompatible materials. Wash hands before eating, drinking, using tobacco, applying make-up or using the toilet. Do not store, use, and/or consume foods, beverages, tobacco in areas where this product is stored.

Incompatible materials

Acids, halogenated compounds, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys. Avoid contact with leather, wool, organic nitro compounds.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**.** . . ..

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
	ACONTIL	USHAFEL	NIOSITIDEIT

Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

# Appropriate engineering controls

# Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Wash contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state	liquid		
Appearance	No information available	Odor	Odorless
Color	clear brown	Odor threshold	No information available
Property	<u>Values</u>	Remarks • Method	
рН	13		
Melting point/freezing point	No information available		
Boiling point / boiling range	No information available		
Flash point	No information available		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific Gravity	1.519		
Water solubility	Soluble in water		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			
<u>other merination</u>			
Softening point	No information available		
Molecular weight	No information available		
VOC Content (%)	No information available		
Density	No information available		
Bulk density	No information available		
-			

# **10. STABILITY AND REACTIVITY**

### Reactivity\_\_\_\_\_

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

Mixing with water, acid or incompatible materials may cause splattering and release of large amounts of heat. Will react with some metals forming flammable hydrogen gas. Carbon monoxide gas may form upon contact with reducing sugars or food and beverage products in enclosed spaces.

#### Incompatible materials

Acids, halogenated compounds, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys. Avoid contact with leather, wool, organic nitro compounds.

### Hazardous Decomposition Products

Toxic fumes of sodium oxide.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ingestion	Ingestion causes burns of the upper digestive and respiratory tracts.		
Skin Contact	Avoid contact with skin. Contact causes severe skin irritation and possible burns.		
Eye contact	Risk of serious damage to	Risk of serious damage to eyes. Avoid contact with eyes.	
Inhalation	May cause irritation of resp	May cause irritation of respiratory tract.	
Product Information	Harmful in contact with skin and if swallowed		

= 1350 mg/kg (Rabbit)

#### Information on toxicological effects

Symptoms

1310-73-2

Sodium hydroxide

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin.
Serious eye damage/eye irritation	Risk of serious damage to eyes.
Irritation	Irritating to eyes, respiratory system and skin.
Corrosivity	Risk of serious damage to eyes.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .ATEmix (dermal)2812 mg/kg

# **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

0/0 of the mixture consists of components of or unknown nazards to the addatic environment	0% of the mixture consists	of components(s) of unknow	wn hazards to the aquatic environment
--	----------------------------	----------------------------	---------------------------------------

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	

### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects No information available

# **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and **Disposal of wastes** regulations. Do not reuse container.

**Contaminated packaging** 

Chemical Name	California Hazardous Waste Status	
Sodium hydroxide	Toxic	
1310-73-2	Corrosive	

# **14. TRANSPORT INFORMATION**

DOT	-
UN/ID No.	UN1824
Proper shipping name	Sodium Hydroxide Solution
Hazard Class	8
Packing Group	11

# **15. REGULATORY INFORMATION**

International Inventories TSCA Complies DSL/NDSL Complies **EINECS/ELINCS** Complies ENCS Does not comply IECSC Complies Complies KECL Complies PICCS Complies AICS

### Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	Х

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

# US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide	Х	Х	Х
1310-73-2			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION					
NFPA_	Health hazards 3	Flammability 0	Instability 1	Physical and Chemical Properties -	
HMIS	Health hazards 3	Flammability 0	Physical hazards 1	Personal protection X	
Prepared By Issue Date Revision Date Revision Note	lmt 13-Mar-2014 02-Apr-2015				

No information available

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet