

SAFETY DATA SHEET

Issue Date 08-Oct-2014

Revision Date 04-Dec-2014

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name	MICROLOX SPECIAL 20 LF
Other means of identification	
Product Code	179
UN/ID No.	UN3264
Synonyms	None

Recommended use of the chemical and restrictions on use

Recommended Use	Acid Cleaner.
Uses advised against	PREVENT DISPERSION OF MISTS!

Manufacturer Address

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

Emergency telephone number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements

Emergency Overview

Danger		
Hazard statements Harmful if inhaled Causes severe skin burns and eye damage May be corrosive to metals		
Appearance aqueous solution	Physical state liquid	Odor None

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Keep only in original container Use only in well-ventilated areas Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see Section 4 on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up Store in a corrosive resistant container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Harmful to aquatic life with long lasting effects

· Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Nitric acid	7697-37-2	16	
Phosphoric acid	7664-38-2	15	
Sulfuric acid	7664-93-9	5	

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye contact	Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete rinsing. Get immediate medical attention.
Skin Contact	Flush with water for 15 minutes. Get medical attention. Remove contaminated clothing and wash before reuse.
Inhalation	Remove victim from immediate source of exposure to fresh air. If breathing is difficult, administer oxygen if available. If victim is not breathing, administer CPR. If individual experiences nausea, headache, or dizziness, get immediate medical attention.
Ingestion	Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing or unconscious person.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Corrosive. Causes tissue destruction, permanent damage to the cornea, blindness. Causes irritation (possibly severe), burns to the skin. Mists may cause lung irritation, shortness of breath, fluid in lungs. Ingestion causes nausea, vomiting, diarrhea, corrosion,

burns to mouth and esophagus, abdominal pain, chest pain, shortness of breath, seizures,

death.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

If the stock solution container breaks, the solution should be handled with care as it is corrosive. May produce poisonous or irritating gas or fumes. This material is reactive with many materials.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool fire exposed containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate nonessential personnel. Ventilate area. Wear appropriate personal protection equipment. Remove all sources of ignition.
Environmental precautions	See Section 12 for additional ecological information.
Methods for containment	Stop leak if you can do it without risk. Completely contain spilled material with dikes or sand bags, etc.
Methods for cleaning up	Recover as much material as possible into containers for disposal or reuse. Remaining material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not get in eyes, on skin, or clothing. Do not breathe vapors or mists. Do not ingest. Wash thoroughly after handling. Wear protective clothing/equipment. Use with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions. Keep containers tightly closed and properly labeled. This product reacts violently with
bases liberating heat and causes spattering. Store in a cool, dry, well-ventilated area. Wash
hands before eating, drinking, using tobacco, applying make-up or using the toilet. Do not
store, use, and/or consume foods, beverages, tobacco in areas where this product is
stored.Incompatible materialsFluorine, strong oxidizing and reducing agents, bases, metals, sulfur tiroxide, and
phosphorus petoxide. Reacts explosively with metallic powders, hydrogen sulfide, carbides,
chlorates, fulminates, nitrates, picrates., cyanides, sulfides, and turpentine. Increases the
the flammability of combustible, organic and readily oxidizable materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Nitric acid	STEL: 4 ppm	TWA: 2 ppm	IDLH: 25 ppm
7697-37-2	TWA: 2 ppm	TWA: 5 mg/m ³	TWA: 2 ppm
		(vacated) TWA: 2 ppm	TWA: 5 mg/m ³
		(vacated) TWA: 5 mg/m ³	STEL: 4 ppm
		(vacated) STEL: 4 ppm	STEL: 10 mg/m ³
		(vacated) STEL: 10 mg/m ³	-
Phosphoric acid	STEL: 3 mg/m ³	TWA: 1 mg/m ³	IDLH: 1000 mg/m ³
7664-38-2	TWA: 1 mg/m ³	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
		(vacated) STEL: 3 mg/m ³	STEL: 3 mg/m ³
Sulfuric acid	TWA: 0.2 mg/m ³ thoracic fraction	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
7664-93-9	-	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³

Appropriate engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

.

Eye/face protection	Wear protective splash proof safety goggles. Additional full face protection is recommended if splashing is a possibility.
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid aqueous solution clear colorless	Odor Odor threshold	None No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents	Values1.6No information availableNo information available	Remarks • Method 1% Solution	

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available

No information available No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

High temperatures might lead to formation of nitrogen dioxide. Contact with water may cause violent reaction with evolution of heat. To dilute: Add product slowly to lukewarm water; not water to product.

Incompatible materials

Fluorine, strong oxidizing and reducing agents, bases, metals, sulfur tiroxide, and phosphorus petoxide. Reacts explosively with metallic powders, hydrogen sulfide, carbides, chlorates, fulminates, nitrates, picrates., cyanides, sulfides, and turpentine. Increases the the flammability of combustible, organic and readily oxidizable materials.

Hazardous Decomposition Products

At flame temperatures, toxic sulfur dioxide, nitrogen oxides and toxic phosphoric oxide fumes may be emitted. May react with certain metals to produce flammable hydrogen gas.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	May cause irritation of respiratory tract.
Eye contact	Risk of serious damage to eyes.
Skin Contact	Contact causes severe skin irritation and possible burns.
Ingestion	Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric acid 7697-37-2	-	-	= 67 ppm (Rat)4 h
Phosphoric acid 7664-38-2	= 1530 mg/kg (Rat)	= 2730 mg/kg (Rabbit)	> 850 mg/m³(Rat)1 h
Sulfuric acid 7664-93-9	= 2140 mg/kg (Rat)	-	= 510 mg/m³(Rat)2 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informatic No informatic No informatic	n available.		
Chemical Name	ACGIH	IARC	NTP	OSHA
Nitric acid 7697-37-2	-	Group 2A	-	Х
Sulfuric acid 7664-93-9	A2	Group 1	Known	Х
Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard	No informatic No informatic No informatic No informatic	n available. n available.		

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	8237 mg/kg
ATEmix (dermal)	18200 mg/kg
ATEmix (inhalation-dust/mist)	1.1 mg/l
ATEmix (inhalation-vapor)	419 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Nitric acid 7697-37-2	-	72: 96 h Gambusia affinis mg/L LC50	-
Phosphoric acid			4.6: 12 h Donhnia magna mg/l
7664-38-2	-	3 - 3.5: 96 h Gambusia affinis mg/L LC50	4.6: 12 h Daphnia magna mg/L EC50
Sulfuric acid	-	500: 96 h Brachydanio rerio mg/L	29: 24 h Daphnia magna mg/L
7664-93-9		LC50 static	EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Nitric acid	-2.3
7697-37-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

Chemical Name	California Hazardous Waste Status
Nitric acid 7697-37-2	Toxic Corrosive Ignitable
Phosphoric acid 7664-38-2	Corrosive
Sulfuric acid 7664-93-9	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT

1
UN/ID No.
Proper shipping name
Hazardous ingredients
Hazard Class
Packing Group

Regulated UN3264 Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid/phosphoric acid) 8 II

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Nitric acid - 7697-37-2	1.0
Sulfuric acid - 7664-93-9	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No

Sudden release of pressure hazard Reactive Hazard

No No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nitric acid 7697-37-2	1000 lb	-	-	Х
Phosphoric acid 7664-38-2	5000 lb	-	-	Х
Sulfuric acid 7664-93-9	1000 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Nitric acid 7697-37-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Phosphoric acid 7664-38-2	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

Chemical Name	California Proposition 65	
Sulfuric acid - 7664-93-9	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Nitric acid 7697-37-2	Х	Х	Х
Phosphoric acid 7664-38-2	Х	Х	Х
Sulfuric acid 7664-93-9	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION						
<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 1	Physical and Chemical Properties -		
HMIS	Health hazards 3	Flammability 0	Physical hazards 1	Personal protection X		
Prepared By	lmt					
Issue Date	08-Oct-2	014				
Revision Date	04-Dec-2	2014				
Revision Note No information available						

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet