

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Page 1 of 7

Alkalinity Titrant Low

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name : Alkalinity Titrant Low

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: ANDSA1555-B

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc
9 Barnhart Drive, Hanover, PA 17331
(717) 632-1291

Supplier Details:

Anderson Chemical Company
325 South David Avenue, Litchfield, MN 55355
(320) 693-2477

Emergency telephone number:

Anderson Chemical Company Emergency Telephone No.: (800) 255-3924

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Corrosive

Corrosive to metals, category 1



Irritant

Eye irritation, category 2A
Skin irritation, category 2

Corrosive to metals. 1

Eye. Irrit 2A

Skin. Irrit 2

Signal word :Warning

Hazard statements:

May be corrosive to metals

Causes skin irritation

Causes serious eye irritation

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Keep only in original container

Wash skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing

IF ON SKIN: Wash with soap and water

Specific treatment (see supplemental first aid instructions on this label)

If skin irritation occurs: Get medical advice/attention

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Page 2 of 7

Alkalinity Titrant Low


Take off contaminated clothing and wash before reuse
If eye irritation persists get medical advice/attention
Absorb spillage to prevent material damage

Other Non-GHS Classification:

WHMIS



NFPA/HMIS



NFPA SCALE (0-4)

Health	1
Flammability	0
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:		
CAS 7664-93-9	Sulfuric Acid	<0.64 %
CAS 7732-18-5	water, Purified	>99.36 %
Percentages are by weight		

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Provide oxygen if breathing is difficult. Seek medical attention if irritation persists or if concerned.

After skin contact: Rinse/flush exposed area gently using water for at least 30 minutes. Seek immediate medical attention. Continue rinsing while removing contaminated clothing and shoes.

After eye contact: Protect unexposed eye. Remove contact lens(es) if able to do so during rinsing. Rinse/flush exposed eye(s) gently using water for at least 30 minutes. Seek immediate medical attention. Rinse under the eyelids during flushing.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Do not induce vomiting. Seek immediate medical attention.

Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath. Burning of eyes or skin. Coughing; Strong inorganic acid mists

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Page 3 of 7

Alkalinity Titrant Low

containing sulfuric acid can cause cancer. Lung damage, chronic bronchitis. Damage to teeth and stomach

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Use of soap may assist with neutralization on exposed skin in conjunction with flushing

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors.

Advice for firefighters:

Protective equipment: Wear protective eyewear, gloves, and clothing. Refer to Section 8.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Should not be released into environment.

Methods and material for containment and cleaning up:

Always obey local regulations. Soak up with inert absorbent material and dispose of as hazardous waste. Wear protective eyewear, gloves, and clothing. Refer to Section 8. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. If necessary, use trained response staff/contractor. Neutralize with lime or soda ash. Decant water to drain with excess water.

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Do not mix with bases. Wash hands after handling. Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Protect from freezing. Keep container tightly closed. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store in cool, dry conditions in well sealed containers. Do not store near incompatible materials (see Section 10)

SECTION 8 : Exposure controls/personal protection



Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Page 4 of 7

Alkalinity Titrant Low

Control Parameters:	7664-93-9, Sulfuric Acid, ACS, OSHA PEL: 1mg/m ³ 7664-93-9, Sulfuric Acid, ACS, ACGIH TLV: 1 mg/m ³
Appropriate Engineering controls:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.
Respiratory protection:	Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.
Protection of skin:	Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wear protective clothing.
Eye protection:	Face shield and tight fitting goggles are appropriate eye protection. Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
General hygienic measures:	Avoid contact with the eyes and skin. Perform routine housekeeping. Wash hands before breaks and immediately after handling the product. Before reworking wash contaminated clothing.

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	Clear, colorless liquid	Explosion limit lower: Explosion limit upper:	Not Determined Not Determined
Odor:	Odorless	Vapor pressure:	Not Determined
Odor threshold:	Not Determined	Vapor density:	Not Determined
pH-value:	<2	Relative density:	Not Determined
Melting/Freezing point:	Approximately 0 °C	Solubilities:	Soluble in water
Boiling point/Boiling range:	Approximately 100 °C	Partition coefficient (n-octanol/water):	Not Determined
Flash point (closed cup):	Not Determined	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	Not Determined	Decomposition temperature:	Not Determined
Flammability (solid,gaseous):	Not Determined	Viscosity:	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density: Not Determined			

SECTION 10 : Stability and reactivity

Reactivity: Reacts violently with water with evolution of heat. Corrosive to metals.

Chemical stability: No decomposition if used and stored according to specifications.

Possible hazardous reactions: None under normal processing.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Page 5 of 7

Alkalinity Titrant Low

Conditions to avoid:Incompatible materials.

Incompatible materials:Organics. Metals. Strong acids.Strong bases.Alcohols. Chlorine. halogenated compounds . Combustible materials. Chlorates. Alkalines. Carbides. Fulminates. Reducing agents. Nitrates. Acetic acid. Oxidizing agents

Hazardous decomposition products:Oxides of sulfur.

SECTION 11 : Toxicological information

Acute Toxicity:		
Oral:	7664-93-9	LD50 Rat: 2140 mg/kg
Inhalation:	7664-93-9	LD50 Rat: 510 mg/m3 - 2h
Chronic Toxicity:		
Inhalation:		Repeated exposure may cause bronchitis to develop with coughing, phlegm, and/or shortness of breath
Oral:		Repeated exposure can cause damage to teeth and upset stomach
Corrosion Irritation:		
Dermal:	7664-93-9	Rabbit - Extremely corrosive and destructive to tissue.
Ocular:	7664-93-9	Rabbit - Corrosive to eyes.
Sensitization:		No additional information.
Single Target Organ (STOT):		No additional information.
Numerical Measures:		No additional information.
Carcinogenicity:		Strong inorganic acid mists containing sulfuric acid: IARC Group 1
Mutagenicity:		No additional information.
Reproductive Toxicity:		No additional information.

SECTION 12 : Ecological information

Ecotoxicity

7664-93-9: EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h

7664-93-9: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h

Persistence and degradability: Not applicable for test method.

Bioaccumulative potential: Not Bioaccumulative.

Mobility in soil: Aqueous solution has high mobility in soil.

Other adverse effects: Concentrated sulfuric acid has moderate acute and chronic toxicity to aquatic life, which is driven by the pH of the aquatic environment, as a result of the presence of the acid. Small quantities will be neutralized by natural alkalinity.

SECTION 13 : Disposal considerations

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Page 6 of 7

Alkalinity Titrant Low

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product. Neutralize with soda ash or calcium carbonate. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

SECTION 14 : Transport information

UN-Number

Not Regulated.

UN proper shipping name

Not Regulated.

Transport hazard class(es)

Packing group: Not Regulated.

Environmental hazard:

Transport in bulk:

Name: 49CFR173.242

Ship type: Not Applicable

Pollution category: Y

Special precautions for user: N34: Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. A3: For combination packagings, if glass inner packagings (including ampoules) are used, they must be packed with absorbent material in tightly closed metal receptacles before packing in outer packagings. A3. A7. B3. B83. B84. IB2. N34. T8. TP2

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic

SARA Section 313 (Specific toxic chemical listings):

7664-93-9 Sulfuric acid

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7664-93-9 sulfuric acid 1000 lb

Proposition 65 (California):

Chemicals known to cause cancer:

7664-93-9 sulfuric acid

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.05.2014

Page 7 of 7

Alkalinity Titrant Low

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

7664-93-9 Sulfuric acid

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

Effective date : 12.05.2014

Last updated : 06.02.2015