Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

1 Identification	
· Product identifier	
<ul> <li>Trade name: <u>Hardness Buffer Solution</u></li> <li>Product code: HA7405-A</li> </ul>	
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>	
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291</li> </ul>	
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)	
2 Hazard(s) identification	
· Classification of the substance or mixture	
Met. Corr.1 H290 May be corrosive to metals.	
Skin Corr. 1C H314 Causes severe skin burns and eye damage.	
Eve Dam 1 H318 Causes serious ave demage	
Eye Dam. 1 H318 Causes serious eye damage.	
STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or	dizziness.
<ul> <li>STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or</li> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (0)</li> </ul>	
<ul> <li>STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or</li> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (C</li> <li>Hazard pictograms:</li> <li>GHS05 GHS07</li> <li>Signal word: Danger</li> <li>Hazard statements:</li> <li>H290 May be corrosive to metals.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.</li> <li>Precautionary statements:</li> </ul>	
<ul> <li>STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or</li> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (C</li> <li>Hazard pictograms:</li> <li>GHS05 GHS07</li> <li>Signal word: Danger</li> <li>Hazard statements:</li> <li>H290 May be corrosive to metals.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.</li> </ul>	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

	(Cont'd. of page
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection.
P301+P330+P3	331 If swallowed: Rinse mouth. Do NOT induce vomiting.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.

### **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Component	ts:	
7732-18-5	Water	>80%
1336-21-6	ammonia Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 STOT SE 3, H335	5-10%
12125-02-9	ammonium chloride � Acute Tox. 4, H302; Eye Irrit. 2A, H319	1-5%
14402-88-1	Disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON'] magnesate(2-) Skin Irrit. 2, H315 Eye Irrit. 2B, H320	<1%
12135-76-1	ammonium sulphide � Skin Corr. 1B, H314; Eye Dam. 1, H318	<1%
· Additional i	nformation:	

# For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

#### • Description of first aid measures

· After inhalation:

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing. Seek medical help for symptoms or if unconscious.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

	(Cont'd. of page
After skin contact:	(00
Immediately remove any clothing soiled by the product.	
Immediately rinse with water.	
If skin irritation continues, consult a doctor.	
Seek immediate help for blistering or open wounds.	
After eye contact:	
Protect unharmed eye.	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; immediately call for medical help.	
Most important symptoms and effects, both acute and delayed:	
Dizziness	
Coughing	
Strong irritant with the danger of severe eye injury.	
Caustic effect on skin and mucous membranes.	
May cause respiratory irritation.	
Gastric or intestinal disorders when ingested.	
Nausea in case of ingestion.	
Breathing difficulty	
Danger:	
Danger of impaired breathing.	
Danger of gastric perforation.	
May cause drowsiness or dizziness.	
Indication of any immediate medical attention and special treatment needed:	
Later observation for pneumonia and pulmonary edema.	
Medical supervision for at least 48 hours.	
If necessary oxygen respiration treatment.	
If medical advice is needed, have product container or label at hand.	

## **5** Fire-fighting measures

- <sup>·</sup> Extinguishing media
- Suitable extinguishing agents:
- The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- <sup>•</sup> Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### 6 Accidental release measures

<sup>•</sup> Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

#### Trade name: Hardness Buffer Solution

(Cont'd. of page 3)

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

#### • Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### <sup>·</sup> Handling

#### · Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires: No special measures required.

#### <sup>•</sup> Conditions for safe storage, including any incompatibilities

#### Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

- Information about storage in one common storage facility:
- Store away from foodstuffs.

Do not store together with acids.

Store away from oxidizing agents.

Store away from metals.

• Further information about storage conditions: Keep containers tightly sealed.

• **Specific end use(s)** No relevant information available.

#### 8 Exposure controls/personal protection

#### · Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

[	12125-02-9 ammonium chloride		
	REL (USA)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³	
	TLV (USA)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³	
	EL (Canada)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³	
-		(Cont'd. on page :	5)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

ade name: Hard	Iness Buffer Solution				
		(Cont'd. of page			
	fume	` · · · · · · · · · · · · · · · · ·			
EV (Canada)	Short-term value: 20 mg/m				
	Long-term value: 10 mg/m	3			
	fume	2			
LMPE (Mexico)	Short-term value: 20 mg/m Long-term value: 10 mg/m				
	Long-term value. To mg/m				
-	· Exposure controls				
	tive and hygienic measure				
		dling chemicals should be followed.			
	I foodstuffs, beverages and nove all soiled and contamir				
	fore breaks and at the end of				
	ases / fumes / aerosols.				
	ith the eyes and skin.				
	ontrols: Provide adequate v				
· Protection of h		atory protective device when high concentrations are present			
Protect	Protective gloves				
The glove mate • Material of glo Nitrile rubber, N Natural rubber, • Eye protection	ves BR NR	and resistant to the product/ the substance/ the preparation.			
Safety	glasses				
Follow relevant	national guidelines concern	ing the use of protective eyewear.			
	n: Protective work clothing				
		ure into the environment			
	rmation available. <b>ment measures</b> No releva	ant information available			
9 Physical and	d chemical properties				
· Information o	n basic physical and cl	nemical properties			
Form:	Li	quid			
Color:		olorless			
· Odor:		mmonia-like			
· Odor threshold	i: N	ot determined.			
· pH-value:	A	Ikaline			
• Melting point/		0 °C (<32 °F)			

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

ade name: Hardness Buffer Solutio	n	
		(Cont'd. of page
· Boiling point/Boiling range:	>100 °C (>212 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
<ul> <li>Explosion limits</li> <li>Lower:</li> <li>Upper:</li> <li>Oxidizing properties:</li> </ul>	Not determined. Not determined. Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density: Relative density: Vapor density: Evaporation rate:	Not determined. Not determined. Not determined.	
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Easily soluble.	
· Partition coefficient (n-octanol/water): Not determined.		
<sup>·</sup> Viscosity Dynamic: Kinematic:	Not determined. Not determined.	
<sup>·</sup> Other information	No relevant information available.	

#### 10 Stability and reactivity

• **Reactivity:** No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

<sup>•</sup> Possibility of hazardous reactions

Corrodes aluminium.

Strong exothermic reaction with acids.

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid No relevant information available.

· Incompatible materials No relevant information available.

<sup>•</sup> Hazardous decomposition products

Under fire conditions only:

Chlorine compounds

Nitrogen oxides (NOx)

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Hardness Buffer Solution

dangerous.

(Cont'd. of page 6)

### 11 Toxicological information Information on toxicological effects · Acute toxicity: Based on available data, the classification criteria are not met. · LD/LC50 values that are relevant for classification: 12125-02-9 ammonium chloride Oral LD50 1650 mg/kg (rat) · Primary irritant effect: · On the skin: Caustic effect on skin and mucous membranes. • On the eye: Strong irritant with the danger of severe eye injury. · Sensitization: Based on available data, the classification criteria are not met. · IARC (International Agency for Research on Cancer): None of the ingredients are listed. NTP (National Toxicology Program): None of the ingredients are listed. · OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed. • Probable route(s) of exposure: Ingestion. Inhalation. Eve contact. Skin contact. • Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met. • **Reproductive toxicity:** Based on available data, the classification criteria are not met. · STOT-single exposure: May cause respiratory irritation. May cause drowsiness or dizziness. • STOT-repeated exposure: Based on available data, the classification criteria are not met. • Aspiration hazard: Based on available data, the classification criteria are not met. 12 Ecological information · Toxicity · Aquatic toxicity No relevant information available. · Persistence and degradability No relevant information available. · Bioaccumulative potential: No relevant information available. · Mobility in soil: No relevant information available. Additional ecological information · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

#### Trade name: Hardness Buffer Solution

(Cont'd. of page 7)

· Other adverse effects No relevant information available.

## 13 Disposal considerations

#### <sup>·</sup> Waste treatment methods

#### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR/RID/ADN, IMDG, IATA	UN2672
UN proper shipping name	
DOT, IATA ADR/RID/ADN, IMDG	Ammonia solution AMMONIA SOLUTION
	AMMONIA SOLUTION
Transport hazard class(es)	
DOT	
CONSULT CONSULT S	
	0
Class Label	8 8
ADR/RID/ADN	
ADR/RID/ADN	
8	
Class	8 (C5)
Label	8
IMDG, IATA	
$\sim$	
8	
Class	8
Label	8
Packing group	
DOT, ADR/RID/ADN, IMDG, IATA	III

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

rade name: Hardness Buffer Solution		
		(Cont'd. of page 8)
<ul> <li>Environmental hazards</li> <li>Marine pollutant:</li> </ul>	No	
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Segregation groups</li> </ul>	Warning: Corrosive substances 80 F-A,S-B Alkalis	

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

**15 Regulatory information** 

 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · United States (USA)
- · SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

1336-21-6 ammonia

• TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any (Cont'd. on page 10)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

specific product features and shall not establish a legally valid contractual relationship.	(Cont'd. of page 9
Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals – Category 1	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Website, European Chemicals Agency (echa.europa.eu)	
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/regist	try/substreg/hom
overview/home.do)	
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)	
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6	
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, C	urtis D., ed., ISBI
978-0-07-176923-5.	
Safety Data Sheets, Individual Manufacturers	