Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

	n
· Product iden	tifier
<ul> <li>Trade name: <u>P</u></li> <li>Product code:</li> </ul>	Polymer Reagent #2 PY1200-B
· Recommended	<b>d use and restriction on use d use:</b> Laboratory chemicals <b>n use:</b> No relevant information available.
<ul> <li>Details of the</li> <li>Manufacturer/S AquaPhoenix S 860 Gitts Run F Hanover, PA 17 Tel +1 (717)632 Toll-Free: (866) info@aquaphoe</li> <li>Distributor: AquaPhoenix S 860 Gitts Run F Hanover, PA 1 (717) 632-1291</li> </ul>	Scientific, Inc. Road 7331 USA 2-1291 )632-1291 enixsci.com Scientific Road, 17331
ChemTel Inc. (800)255-3924	ephone number: (North America) 585 (International)
2 Hazard(s) id	lentification
	n of the substance or mixture
Skin Irrit. 2 H3	315 Causes skin irritation.
Skin Irrit. 2 H3 Eye Irrit. 2A H3	<ul> <li>B15 Causes skin irritation.</li> <li>B19 Causes serious eye irritation.</li> </ul>
Skin Irrit. 2 H3 Eye Irrit. 2A H3 • Label elemen • GHS label elem	<ul> <li>B15 Causes skin irritation.</li> <li>B19 Causes serious eye irritation.</li> <li>B18 ments</li> <li>Classified and labeled according to the Globally Harmonized System (GHS).</li> </ul>
Skin Irrit. 2 H3 Eye Irrit. 2A H3 • Label elemen • GHS label elem The product is o	<ul> <li>B15 Causes skin irritation.</li> <li>B19 Causes serious eye irritation.</li> <li>B18 ments</li> <li>Classified and labeled according to the Globally Harmonized System (GHS).</li> </ul>
Skin Irrit. 2 H3 Eye Irrit. 2A H3 • Label elemen • GHS label elem The product is o	<ul> <li>B15 Causes skin irritation.</li> <li>B19 Causes serious eye irritation.</li> <li>B18 ments</li> <li>Classified and labeled according to the Globally Harmonized System (GHS).</li> </ul>
Skin Irrit. 2 H3 Eye Irrit. 2A H3 • Label element • GHS label elem The product is of • Hazard pictogr GHS07 • Signal word: W • Hazard statem H315 Causes s	<ul> <li>State State Sta</li></ul>

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

#### Trade name: Polymer Reagent #2

(Cont'd. of page 1)

2%

98%

P305+P351+P33	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.

• **Other hazards** There are no other hazards not otherwise classified that have been identified.

### **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

#### · Components:

121-54-0 Benzethonium chloride Acute Tox. 3, H301

Acute Tox. 3, H301 Skin Corr. 1B, H314; Eye Dam. 1, H318

7732-18-5 Water

#### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

#### <sup>•</sup> Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

#### • After inhalation: Supply fresh air and to be sure to call for a doctor.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

#### · After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

- · **Danger:** No relevant information available.
- $\cdot$  Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

### 5 Fire-fighting measures

#### Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

(Cont'd. of page 2)

#### Trade name: Polymer Reagent #2

Formation of toxic gases is possible during heating or in case of fire.

#### Advice for firefighters

#### · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### 6 Accidental release measures

### • Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Ensure adequate ventilation.

#### · Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### <sup>•</sup> Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

#### <sup>·</sup> Handling

· Precautions for safe handling: Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

#### · Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:
- Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

#### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

#### • Exposure controls

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

#### Trade name: Polymer Reagent #2

(Cont'd. of page 3)

- Wash hands before breaks and at the end of work.
- Engineering controls: Provide adequate ventilation.
- Breathing equipment: Not required under normal conditions of use.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • **Eye protection:** 



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

### Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical prope	erties	
<sup>·</sup> Information on basic physical a	and chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Not determined.	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
<ul> <li>Melting point/Melting range:</li> </ul>	Not determined.	
<ul> <li>Boiling point/Boiling range:</li> </ul>	>100 °C (>212 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
<ul> <li>Oxidizing properties:</li> </ul>	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	0.98-1.02 g/cm³ (8.18-8.51 lbs/gal)	
Relative density:	Not determined.	
· Vapor density:	Not determined.	
<ul> <li>Evaporation rate:</li> </ul>	Not determined.	
	(Cont'd. c	n page 5

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Polymer Reagent #2

		(Cont'd. of pa
Solubility in / Miscibility with		
Water:	Not determined.	
Partition coefficient (n-octand	ol/water): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

### 10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

#### Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

<sup>•</sup> Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid Excessive heat.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Toxic metal oxide smoke

### 11 Toxicological information

### <sup>•</sup> Information on toxicological effects

Acute toxicity:

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.

· Sensitization: May cause sensitization by skin contact.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

### NTP (National Toxicology Program):

None of the ingredients are listed.

#### OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### · Probable route(s) of exposure:

- Ingestion.
- Inhalation.
- Eye contact.
- Skin contact.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Polymer Reagent #2

(Cont'd. of page 5)

- Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- Repeated dose toxicity: No relevant information available.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.

· Aspiration hazard: Based on available data, the classification criteria are not met.

### **12 Ecological information**

#### <sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Other adverse effects No relevant information available.

### **13 Disposal considerations**

#### <sup>•</sup> Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.	
		(Cont'd. on pag

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

(Cont'd. of p
for the substan
for the substand
for the substand
for the substan
for the substand
for the substand

10043-35-3 Boric acid 7732-18-5 Water

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

10043-35-3 Boric acid

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

(Cont'd. on page 8)

I (oral)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

#### Trade name: Polymer Reagent #2

(Cont'd. of page 7)

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers