

SAFETY DATA SHEET

Issue Date 03-Jun-2020 Revision Date 03-Jun-2020 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name TRAY-CLEAN

Other means of identification

Product Code 429 UN/ID No. NA1760 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use
Uses advised against
No information available
No information available

Manufacturer Address

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

Emergency telephone number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Causes severe skin burns and eye damage May be corrosive to metals



Appearance No information available

Physical state liquid

Odor Slight chlorine

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Keep only in original container

429 TRAY-CLEAN Revision Date 03-Jun-2020

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see Section 4 on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in a corrosive resistant container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

· Very toxic to aquatic life with long lasting effects

· Very toxic to aquatic life

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium hydroxide	1310-73-2	<11	
Sodium hypochlorite	7681-52-9	<3	
Sodium metasilicate	6834-92-0	<4	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Eye contact Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete

rinsing. Get immediate medical attention.

Skin Contact Flush with water for 15 minutes. If irritation persists after rinsing, get medical attention.

Remove contaminated clothing and wash before reuse.

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate

medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing

or unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms Corrosive. Causes irritation (possibly severe), burns to the eyes. May cause permanent

eye damage. Causes irritation (possibly severe), burns to the skin. Causes irritation (possibly severe), burns, pulmonary edema to the respiratory tract. Causes irritation (possibly severe), burns, nausea, vomiting to the gastrointestinal tract. The severity of effects depend on concentration and how soon after exposure the area is washed.

429 TRAY-CLEAN Revision Date 03-Jun-2020

Indication of any immediate medical attention and special treatment needed

Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray may be used to keep fire exposed containers cool. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

If the stock solution container breaks, the solution should be handled with care as it is corrosive. Direct contact with water can cause a violent exothermic reaction. The product causes burns of eyes, skin and mucous membranes. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion products Toxic fumes of sodium oxide, HOCL, chlorine, HCl, NaCl, sodium chlorate and oxygen.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool fire exposed containers. Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid Personal precautions contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions See Section 12 for additional ecological information. Do not allow into any sewer, on the

ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods for containment Completely contain spilled material with dikes or sand bags, etc.

Recover as much material as possible into containers for disposal or reuse. Remaining Methods for cleaning up

> material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not get in eyes, on skin, or clothing. Wash thoroughly after handling. Wear appropriate

protective clothing/equipment. Do not breathe mist/vapors. Use with adequate ventilation.

Do not indest.

Conditions for safe storage, including any incompatibilities

429 TRAY-CLEAN Revision Date 03-Jun-2020

Storage Conditions Keep containers tightly closed and properly labeled. Containers that have been emptied will

retain product residue and should be handled as if they were full. Store in a cool, dry, well-ventilated place away from incompatible materials. Wash hands before eating, drinking, using tobacco, applying make-up or using the toilet. Do not store, use, and/or consume foods, beverages, tobacco in areas where this product is stored. Do not store in aluminum container or use aluminum fittings or transfer lines, as flammable hydrogen gas

can be generated.

Incompatible materials Acids, ammonia, ether, halogenated compounds, oxidizing agents, reducing agents,

oxidizable or combustible materials such as wood, cloth or organic materials, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys. Avoid contact with heavy metal such as iron, magnesium, aluminum, manganese, chromium, nickel and their alloys. Avoid contact with leather, wool, organic nitro

compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name ACGIH TLV		OSHA PEL	NIOSH IDLH
Sodium hydroxide Ceiling: 2 mg/m ³		TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Rubber boots. Wear protective gloves and protective clothing. Wear impervious protective

clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent

skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Wash contaminated clothing before reuse. When using do not eat, drink or smoke. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

AppearanceNo information availableOdorSlight chlorine

Color clear light yellow Odor threshold No information available

Property Values Remarks • Method

pH 12.5-13.0, 1% solution

Melting point/freezing point No information available

Boiling point / boiling range No information available

Flash point Not applicable

429 TRAY-CLEAN Revision Date 03-Jun-2020

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 1.216

Water solubility Soluble in water

Solubility in other solvents No information available **Partition coefficient** No information available No information available **Autoignition temperature Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available No information available **Explosive properties Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Will react with some metals forming flammable hydrogen gas. Will react with acids to produce chlorine gas.

Incompatible materials

Acids, ammonia, ether, halogenated compounds, oxidizing agents, reducing agents, oxidizable or combustible materials such as wood, cloth or organic materials, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys. Avoid contact with heavy metal such as iron, magnesium, aluminum, manganese, chromium, nickel and their alloys. Avoid contact with leather, wool, organic nitro compounds.

Hazardous Decomposition Products

Toxic fumes of sodium oxide, HOCL, chlorine, HCl, NaCl, sodium chlorate and oxygen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Causes irritation (possibly severe), burns, pulmonary edema to the respiratory tract.

Eye contact Causes irritation (possibly severe), burns to the eyes. May cause permanent eye damage.

Skin Contact Causes irritation (possibly severe), burns to the skin.

Ingestion Causes irritation (possibly severe), burns, nausea, vomiting to the gastrointestinal tract.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Sodium hypochlorite = 8200 mg/kg (Rat) 7681-52-9		> 10000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite	-	Group 3	-	-
7681-52-9				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

4.4% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Sodium hypochlorite 7681-52-9	0.095: 24 h Skeletonema costatum mg/L EC50	0.06 - 0.11: 96 h Pimephales promelas mg/L LC50 flow-through 4.5 - 7.6: 96 h Pimephales promelas mg/L LC50 static 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 0.28 - 1: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.05 - 0.771: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static	2.1: 96 h Daphnia magna mg/L EC50 0.033 - 0.044: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

429 TRAY-CLEAN Revision Date 03-Jun-2020

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and Disposal of wastes

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	California Hazardous Waste Status	
Sodium hydroxide	Toxic	
1310-73-2	Corrosive	

14. TRANSPORT INFORMATION

DOT Regulated

UN/ID No. NA1760

Compounds, Cleaning Liquid Proper shipping name **Hazardous ingredients** (Sodium Hydroxide/Sodium Hypochlorite)

Hazard Class Packing Group Ш

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Does not comply **IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardYes

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	Х
Sodium hypochlorite 7681-52-9	100 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ
Sodium hypochlorite	100 lb	-	RQ 100 lb final RQ
7681-52-9			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	Х
Sodium hypochlorite 7681-52-9	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 1 Personal protection X

Prepared By Imt

Issue Date 03-Jun-2020 Revision Date 03-Jun-2020 Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet