Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

(Cont'd. on page 2)

1 Identification	
· Product identifie	er
• Trade name: <u>Star</u> • Product code: ST	<mark>ch Acid Indicator Powder</mark> 5205-H
Recommended us	se and restriction on use se: Laboratory chemicals se: No relevant information available.
<ul> <li>Details of the su</li> <li>Manufacturer/Sup AquaPhoenix Sciel 860 Gitts Run Roa Hanover, PA 1733 Tel +1 (717)632-12 Toll-Free: (866)632 info@aquaphoenix</li> <li>Distributor: AquaPhoenix Sciel 860 Gitts Run Roa Hanover, PA 1733 (717) 632-1291</li> </ul>	ntific, Inc. d 1 USA 291 2-1291 sci.com ntific d,
Emergency teleph ChemTel Inc. (800)255-3924 (No +1 (813)248-0585	orth America)
2 Hazard(s) iden	tification
	<b>f the substance or mixture</b> H290 May be corrosive to metals.
	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.
Combustible Dust	May form combustible dust concentrations in air.
• Label elements • GHS label element The product is clas • Hazard pictogram GHS05	its sified and labeled according to the Globally Harmonized System (GHS).
<ul> <li>Signal word: Dang</li> <li>Hazard statement</li> <li>H290 May be corror</li> <li>H314 Causes sever</li> <li>May form combust</li> <li>Precautionary state</li> </ul>	<b>s:</b> psive to metals. pre skin burns and eye damage. ible dust concentrations in air.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

# Trade name: Starch Acid Indicator Powder

(Cont'd. of page 1)

	P260	Do not breathe dust.
	P264	Wash thoroughly after handling.
	P280	Wear protective gloves/protective clothing/eye protection.
	P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P310	Immediately call a poison center/doctor.
	P363	Wash contaminated clothing before reuse.
	P405	Store locked up.
	P406	Store in corrosive resistant container with a resistant inner liner.
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	Additional inform	5
		In d safety data sheet before use. Prevent dust accumulations to minimize explosion of from all ignition sources including heat, sparks and flame.
-	• · · · · · · · · ·	

• Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

### · Chemical characterization: Mixtures

## · Components:

# 5329-14-6 sulphamidic acid

🕐 Skin Irrit. 2, H315; Eye Irrit. 2A, H319

### 9005-25-8 Starch Combustible Dust

### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

# 4 First-aid measures

### <sup>•</sup> Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

### · After skin contact:

Brush off loose particles from skin.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

### • After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

## · After swallowing:

Rinse out mouth and then drink plenty of water.

(Cont'd. on page 3)

80%

20%

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

# Trade name: Starch Acid Indicator Powder

(Cont'd. of page 2)

Do not induce vomiting; immediately call for medical help. • Most important symptoms and effects, both acute and delayed:

Caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Danger:

Danger of gastric perforation.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

# 5 Fire-fighting measures

# <sup>·</sup> Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

# · Special hazards arising from the substance or mixture

May form combustible dust concentrations in air.

During heating or in case of fire poisonous gases are produced.

## Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

# 6 Accidental release measures

# • Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Remove ignition sources.

# Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# Methods and material for containment and cleaning up

Pick up mechanically.

Sweep up and place into an appropriate container.

Dispose of the collected material according to regulations.

# **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

(Cont'd. on page 4)


Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Handling       Precautions for safe handling:         Prevent formation of dust.       Any deposit of dust which cannot be avoided must be regularly removed.         Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.       Information about protection against explosions and fires:         May form combustible dust concentrations in air.       Avoid dust cloud formation. Keep ignition sources away. No smoking.         Conditions for safe storage, including any incompatibilities       Requirements to be met by storeoroms and receptacles:         Storage area should be dry and well-ventilated.       Information about storage in one common storage facility:         Protect from humidity and water.       Do not store together with alkalis (caustic solutions).         Storage area should be dry and well-ventilated.       Information about storage conditions:         Keep containers tightly sealed.       This product is hygroscopic.         Specific end use(s) No relevant information available.       Specific end use(s) No relevant information available.         Exposure controls/personal protection         Commenters         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         905-25-8 Starch         PEL (USA)       Long-term value: 15* 5** mg/m³			(Cont'd. of pa
Prevent formation of dust. Any deposit of dust which cannot be avoided must be regularly removed. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water. Information about protection against explosions and fires: May form combustible dust concentrations in air. Avoid dust cloud formation. Keep ignition sources away. No smoking. Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: Storage area should be dry and well-ventilated. Information about storage in one common storage facility: Protect from humidity and water. Do not store together with alkalis (caustic solutions). Store away from oxidizing agents. Further information about storage conditions: Keep containers tightly sealed. This product is hygroscopic. Specific end use(s) No relevant information available. Exposure controls/personal protection Control parameters Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit. 9005-25-8 Starch PEL (USA) Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction REL (USA) Long-term value: 10* 3** mg/m <sup>3</sup> Et (Canada) Long-term value: 10* 3** mg/m <sup>3</sup> *total dust;**respirable fraction EV (Canada) Long-term value: 10 mg/m <sup>3</sup> Et (Canada) Long-term value: 10 mg/m <sup>3</sup> *total dust;**respirable fraction EV (Canada) Long-term value: 10 mg/m <sup>3</sup> *total dust;**respirable fraction EV (Canada) Long-term value: 10 mg/m <sup>3</sup> *total dust;**respirable fraction			
Any deposit of dust which cannot be avoided must be regularly removed. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water. Information about protection against explosions and fires: May form combustible dust concentrations in air. Avoid dust cloud formation. Keep ignition sources away. No smoking. Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: Storage area should be dry and well-ventilated. Information about storage in one common storage facility: Protect from humidity and water. Do not store together with alkalis (caustic solutions). Store away from oxidizing agents. Further information about storage conditions: Keep containers tightly sealed. This product is hygroscopic. Specific end use(s) No relevant information available.  Exposure controls/personal protection Control parameters Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit. 9005-25-8 Starch PEL (USA) Long-term value: 10* 5** mg/m <sup>3</sup> * total dust **respirable fraction REL (USA) Long-term value: 10 mg/m <sup>3</sup> EL (Canada) Long-term value: 10 mg/m <sup>3</sup>			
Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water. Information about protection against explosions and fires: May form combustible dust concentrations in air. Avoid dust cloud formation. Keep ignition sources away. No smoking. Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: Storage area should be dry and well-ventilated. Information about storage in one common storage facility: Protect from humidity and water. Do not store together with alkalis (caustic solutions). Store away from oxidizing agents. Further information about storage conditions: Keep containers tightly sealed. This product is hygroscopic. Specific end use(s) No relevant information available. Exposure controls/personal protection Control parameters Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit. 905-25-8 Starch PEL (USA) Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction TLV (USA) Long-term value: 10° 5** mg/m <sup>3</sup> *total dust **respirable fraction EV (Canada) Long-term value: 10 mg/m <sup>3</sup> EL (Canada) Long-term value: 10 mg/m <sup>3</sup> *total dust *Total dust *Trespirable fraction EV (Canada) Long-term value: 10 mg/m <sup>3</sup> *total dust LMPE (Mexico) Long-term value: 10 mg/m <sup>3</sup>			
Information about protection against explosions and fires: May form combustible dust concentrations in air. Avoid dust cloud formation. Keep ignition sources away. No smoking. Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: Storage area should be dry and well-ventilated. Information about storage in one common storage facility: Protect from humidity and water. Do not store together with alkalis (caustic solutions). Store away from oxidizing agents. Further information about storage conditions: Keep containers tightly sealed. This product is hygroscopic. Specific end use(s) No relevant information available. Exposure controls/personal protection Control parameters Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit. 9005-25-8 Starch PEL (USA) Long-term value: 15* 5** mg/m <sup>3</sup> * total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m <sup>3</sup> * total dust **respirable fraction TLV (USA) Long-term value: 10 mg/m <sup>3</sup> EL (Canada) Long-term value: 10 mg/m <sup>3</sup> EL (Canada) Long-term value: 10 mg/m <sup>3</sup> EL (Canada) Long-term value: 10 mg/m <sup>3</sup> Hotal dust **respirable fraction EV (Canada) Long-term value: 10 mg/m <sup>3</sup> Hotal dust **			
May form combustible dust concentrations in air.         Avoid dust cloud formation. Keep ignition sources away. No smoking.         Conditions for safe storage, including any incompatibilities         Requirements to be met by storerooms and receptacles:         Storage area should be dry and well-ventilated.         Information about storage in one common storage facility:         Protect from humidity and water.         Do not store together with alkalis (caustic solutions).         Store away from oxidizing agents.         Further information about storage conditions:         Keep containers tightly sealed.         This product is hygroscopic.         Specific end use(s) No relevant information available.         Exposure controls/personal protection         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         905-25-8 Starch         PEL (USA)       Long-term value: 15* 5** mg/m <sup>3</sup>			
Avoid dust cloud formation. Keep ignition sources away. No smoking.         Conditions for safe storage, including any incompatibilities         Requirements to be met by storerooms and receptacles:         Storage area should be dry and well-ventilated.         Information about storage in one common storage facility:         Protect from humidity and water.         Do not store together with alkalis (caustic solutions).         Store away from oxidizing agents.         Further information about storage conditions:         Keep containers tightly sealed.         This product is hygroscopic.         Specific end use(s) No relevant information available.         Exposure controls/personal protection         Control parameters         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         905-25-8 Starch         PEL (USA)       Long-term value: 15* 5** mg/m³			
Requirements to be met by storerooms and receptacles:         Storage area should be dry and well-ventilated.         Information about storage in one common storage facility:         Protect from humidity and water.         Do not store together with alkalis (caustic solutions).         Stora away from oxidizing agents.         Further information about storage conditions:         Keep containers tightly sealed.         This product is hygroscopic.         Specific end use(s) No relevant information available.         Exposure controls/personal protection         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         9005-25-8 Starch         PEL (USA)         Long-term value: 15* 5** mg/m³         *total dust **respirable fraction         REL (USA)       Long-term value: 10* 5** mg/m³         *total dust **respirable fraction         TLV (USA)       Long-term value: 10 mg/m³         EL (Canada)       Long-term value: 10* 3** mg/m³         total dust,**respirable fraction         LORg-term value: 10 mg/m³         total			
Storage area should be dry and well-ventilated.         Information about storage in one common storage facility:         Protect from humidity and water.         Do not store together with alkalis (caustic solutions).         Store away from oxidizing agents.         Further information about storage conditions:         Keep containers tightly sealed.         This product is hygroscopic.         Specific end use(s) No relevant information available.         Exposure controls/personal protection         Control parameters         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         9005-25-8 Starch         PEL (USA)       Long-term value: 15° 5** mg/m³ *total dust **respirable fraction         REL (USA)       Long-term value: 10° 5** mg/m³ *total dust **respirable fraction         TLV (USA)       Long-term value: 10° 3** mg/m³ *total dust **respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ total dust.**respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ total dust.         PEV (Canada)       Long-term value: 10 mg/m³ total dust.	Conditions fo	r safe storage, including any incompatibilities	
Information about storage in one common storage facility:         Protect from humidity and water.         Do not store together with alkalis (caustic solutions).         Store away from oxidizing agents.         Further information about storage conditions:         Keep containers tightly sealed.         This product is hygroscopic.         Specific end use(s) No relevant information available.         Exposure controls/personal protection         Control parameters         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or o recommended exposure limit.         9005-25-8 Starch         PEL (USA)       Long-term value: 15* 5** mg/m³ * total dust **respirable fraction         REL (USA)       Long-term value: 10* 5** mg/m³ * total dust **respirable fraction         TLV (USA)       Long-term value: 10 mg/m³ total dust;** respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ total dust;** respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ total dust;** respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ total dust;** respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ total dust;** respirable fraction			
Protect from humidity and water. Do not store together with alkalis (caustic solutions). Store away from oxidizing agents. Further information about storage conditions: Keep containers tightly sealed. This product is hygroscopic. Specific end use(s) No relevant information available. Exposure controls/personal protection Control parameters Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit. 9005-25-8 Starch PEL (USA) Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction TLV (USA) Long-term value: 10 mg/m <sup>3</sup> Et (Canada) Long-term value: 10 mg/m <sup>3</sup> total dust;*respirable fraction EV (Canada) Long-term value: 10 mg/m <sup>3</sup>			
Do not store together with alkalis (caustic solutions). Store away from oxidizing agents. Further information about storage conditions: Keep containers tightly sealed. This product is hygroscopic. Specific end use(s) No relevant information available. Exposure controls/personal protection Control parameters Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit. 9005-25-8 Starch PEL (USA) Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction TLV (USA) Long-term value: 10 mg/m <sup>3</sup> EL (Canada) Long-term value: 10 mg/m <sup>3</sup> EV (Canada) Long-term value: 10 mg/m <sup>3</sup> total dust. EV (Canada) Long-term value: 10 mg/m <sup>3</sup>			
Store away from oxidizing agents.         Further information about storage conditions:         Keep containers tightly sealed.         This product is hygroscopic.         Specific end use(s) No relevant information available.         Exposure controls/personal protection         Control parameters         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         9005-25-8 Starch         PEL (USA)       Long-term value: 15* 5** mg/m³			
Further information about storage conditions:         Keep containers tightly sealed.         This product is hygroscopic.         Specific end use(s) No relevant information available.         Exposure controls/personal protection         Control parameters         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         9005-25-8 Starch         PEL (USA)       Long-term value: 15* 5** mg/m³         *total dust **respirable fraction         REL (USA)       Long-term value: 10* 5** mg/m³         *total dust **respirable fraction         TLV (USA)       Long-term value: 10 mg/m³         EL (Canada)       Long-term value: 10 mg/m³         EV (Canada)       Long-term value: 10 mg/m³         EV (Canada)       Long-term value: 10 mg/m³         EV (Canada)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³			
Keep containers tightly sealed.         This product is hygroscopic.         Specific end use(s) No relevant information available.         Exposure controls/personal protection         Control parameters         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         9005-25-8 Starch         PEL (USA)       Long-term value: 15* 5** mg/m³ * total dust **respirable fraction         REL (USA)       Long-term value: 10* 5** mg/m³ * total dust **respirable fraction         TLV (USA)       Long-term value: 10 mg/m³ * total dust **respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ * total dust **respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ * total dust **respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ total dust         EV (Canada)       Long-term value: 10 mg/m³ total dust			
Specific end use(s) No relevant information available.         Exposure controls/personal protection         Control parameters         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         9005-25-8 Starch         PEL (USA)       Long-term value: 15* 5** mg/m³ *total dust **respirable fraction         REL (USA)       Long-term value: 10* 5** mg/m³ *total dust **respirable fraction         TLV (USA)       Long-term value: 10 mg/m³ total dust;**respirable fraction         EL (Canada)       Long-term value: 10 mg/m³ total dust;**respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ total dust         LMPE (Mexico)       Long-term value: 10 mg/m³	Keep containers	s tightly sealed.	
Exposure controls/personal protection         Control parameters         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         9005-25-8 Starch         PEL (USA)       Long-term value: 15* 5** mg/m³ *total dust **respirable fraction         REL (USA)       Long-term value: 10* 5** mg/m³ *total dust **respirable fraction         TLV (USA)       Long-term value: 10 mg/m³ *total dust **respirable fraction         EL (Canada)       Long-term value: 10 mg/m³ *total dust;**respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ total dust         EV (Canada)       Long-term value: 10 mg/m³ total dust         LMPE (Mexico)       Long-term value: 10 mg/m³			
Control parameters         Components with limit values that require monitoring at the workplace:         The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.         9005-25-8 Starch         PEL (USA)       Long-term value: 15* 5** mg/m³ *total dust **respirable fraction         REL (USA)       Long-term value: 10* 5** mg/m³ *total dust **respirable fraction         TLV (USA)       Long-term value: 10 mg/m³ *total dust **respirable fraction         EL (Canada)       Long-term value: 10 mg/m³ *total dust;**respirable fraction         EV (Canada)       Long-term value: 10 mg/m³ total dust         EV (Canada)       Long-term value: 10 mg/m³ total dust         Long-term value: 10 mg/m³       *total dust         EV (Canada)       Long-term value: 10 mg/m³ total dust	•		
Components with limit values that require monitoring at the workplace:The following constituent is the only constituent of the product which has a PEL, TLV or or recommended exposure limit.9005-25-8 StarchPEL (USA)Long-term value: 15* 5** mg/m³ *total dust **respirable fractionREL (USA)Long-term value: 10* 5** mg/m³ *total dust **respirable fractionTLV (USA)Long-term value: 10 mg/m³ *total dust **respirable fractionEL (Canada)Long-term value: 10 mg/m³ *total dust;**respirable fractionEV (Canada)Long-term value: 10 mg/m³ total dustEV (Canada)Long-term value: 10 mg/m³ total dustLMPE (Mexico)Long-term value: 10 mg/m³	Exposure co	ontrols/nersonal protection	
9005-25-8 StarchPEL (USA)Long-term value: 15* 5** mg/m³ *total dust **respirable fractionREL (USA)Long-term value: 10* 5** mg/m³ *total dust **respirable fractionTLV (USA)Long-term value: 10 mg/m³ *total dust;*respirable fractionEL (Canada)Long-term value: 10* 3** mg/m³ *total dust;*respirable fractionEV (Canada)Long-term value: 10 mg/m³ total dust;*respirable fractionEV (Canada)Long-term value: 10 mg/m³ total dustLMPE (Mexico)Long-term value: 10 mg/m³	Control parar Components w	neters rith limit values that require monitoring at the workplace:	
PEL (USA)Long-term value: 15* 5** mg/m³ *total dust **respirable fractionREL (USA)Long-term value: 10* 5** mg/m³ *total dust **respirable fractionTLV (USA)Long-term value: 10 mg/m³ *total dust;*respirable fractionEL (Canada)Long-term value: 10* 3** mg/m³ *total dust;*respirable fractionEV (Canada)Long-term value: 10 mg/m³ total dust;EV (Canada)Long-term value: 10 mg/m³ total dustLMPE (Mexico)Long-term value: 10 mg/m³	Control parar Components w The following	neters vith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE	L, TLV or o
*total dust **respirable fractionREL (USA)Long-term value: 10* 5** mg/m³ *total dust **respirable fractionTLV (USA)Long-term value: 10 mg/m³ total dust;*respirable fractionEL (Canada)Long-term value: 10* 3** mg/m³ *total dust;*respirable fractionEV (Canada)Long-term value: 10 mg/m³ total dustLMPE (Mexico)Long-term value: 10 mg/m³	Control parar Components w The following recommended e	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit.	L, TLV or o
*total dust **respirable fractionTLV (USA)Long-term value: 10 mg/m³EL (Canada)Long-term value: 10* 3** mg/m³ *total dust;**respirable fractionEV (Canada)Long-term value: 10 mg/m³ total dustLMPE (Mexico)Long-term value: 10 mg/m³	Control parar Components w The following recommended e 9005-25-8 Stare	neters vith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch	L, TLV or o
TLV (USA)Long-term value: 10 mg/m³EL (Canada)Long-term value: 10* 3** mg/m³ *total dust;**respirable fractionEV (Canada)Long-term value: 10 mg/m³ total dustLMPE (Mexico)Long-term value: 10 mg/m³	Control parar Components w The following recommended e 9005-25-8 Stare	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m³	L, TLV or o
EL (Canada)Long-term value: 10* 3** mg/m³ *total dust;**respirable fractionEV (Canada)Long-term value: 10 mg/m³ total dustLMPE (Mexico)Long-term value: 10 mg/m³	Control parar Components w The following recommended e 9005-25-8 Stare PEL (USA)	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction	L, TLV or o
*total dust;**respirable fractionEV (Canada)Long-term value: 10 mg/m³ total dustLMPE (Mexico)Long-term value: 10 mg/m³	Control parar Components w The following recommended e 9005-25-8 Stare PEL (USA)	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup>	L, TLV or o
EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA)	neters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction	L, TLV or o
LMPE (Mexico) Long-term value: 10 mg/m³	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) TLV (USA)	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10* 3** mg/m <sup>3</sup>	L, TLV or o
LMPE (Mexico) Long-term value: 10 mg/m³	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) TLV (USA)	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10* 3** mg/m <sup>3</sup>	L, TLV or o
	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) REL (USA) TLV (USA) EL (Canada)	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10* 3** mg/m <sup>3</sup> *total dust;*respirable fraction Long-term value: 10 mg/m <sup>3</sup>	L, TLV or o
	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) REL (USA) TLV (USA) EL (Canada) EV (Canada)	neters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10* 3** mg/m <sup>3</sup> *total dust;**respirable fraction Long-term value: 10 mg/m <sup>3</sup> total dust;**respirable fraction Long-term value: 10 mg/m <sup>3</sup>	L, TLV or o
	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) REL (USA) EL (Canada) EV (Canada) LMPE (Mexico)	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> *total dust;**respirable fraction Long-term value: 10 mg/m <sup>3</sup> total dust; Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> A4	L, TLV or o
Exposure controls	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) Exposure cor	neters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> *total dust;**respirable fraction Long-term value: 10 mg/m <sup>3</sup> total dust; Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> total dust	L, TLV or o
General protective and hygienic measures:	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) Exposure cor General protec	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> *total dust;*respirable fraction Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> total dust	L, TLV or o
General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) TLV (USA) EL (Canada) EV (Canada) LMPE (Mexico) Exposure cor General protec The usual preca	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> *total dust;**respirable fraction Long-term value: 10 mg/m <sup>3</sup> total dust; Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> A4	L, TLV or o
<b>General protective and hygienic measures:</b> The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) EL (Canada) EV (Canada) EV (Canada) LMPE (Mexico) Exposure cor General protec The usual preca Keep away from	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> total dust;**respirable fraction Long-term value: 10 mg/m <sup>3</sup> total dust;**respirable fraction Long-term value: 10 mg/m <sup>3</sup> total dust; Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> A4	L, TLV or o
<b>General protective and hygienic measures:</b> The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Avoid breathing dust.	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) REL (USA) EL (Canada) EV (Canada) EV (Canada) LMPE (Mexico) Exposure cor General protec The usual preca Keep away from Avoid breathing	neters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> *total dust;**respirable fraction Long-term value: 10 mg/m <sup>3</sup> total dust; Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> total dust	L, TLV or o
<b>General protective and hygienic measures:</b> The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Avoid breathing dust. <b>Engineering controls:</b> Provide adequate ventilation.	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) REL (USA) EL (Canada) EV (Canada) EV (Canada) LMPE (Mexico) Exposure cor General protec The usual preca Keep away from Avoid breathing Engineering co	neters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> total dust;**respirable fraction Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> total dust	L, TLV or o
<b>General protective and hygienic measures:</b> The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Avoid breathing dust.	Control parar Components w The following recommended e 9005-25-8 Stard PEL (USA) REL (USA) TLV (USA) EL (Canada) EV (Canada) EV (Canada) LMPE (Mexico) Exposure cor General protec The usual preca Keep away from Avoid breathing Engineering co Breathing equi	neters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PE exposure limit. ch Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction Long-term value: 10 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> total dust;**respirable fraction Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> total dust Long-term value: 10 mg/m <sup>3</sup> A4 tive and hygienic measures: utionary measures for handling chemicals should be followed. n foodstuffs, beverages and feed. dust. ontrols: Provide adequate ventilation. pment:	L, TLV or o

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021



· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
• Oxidizing properties:	Not determined.	
· Vapor pressure:	Not determined.	
		(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

		(Cont'd. of pa
Density:		
Relative density:	0.65	
Vapor density:	Not applicable.	
Evaporation rate:	Not applicable.	
Solubility in / Miscibility with		
Water:	Partly soluble.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No relevant information available.	

# 10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions

Risk of dust explosion if enriched with fine dust in the presence of air.

Reacts with alkali (lyes).

Reacts with oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

Corrosive action on metals in the presence of water.

### Conditions to avoid

Moisture.

Prevent formation of dust.

### <sup>·</sup> Incompatible materials

Alkalis

Oxidizing agents.

# Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Nitrogen oxides

# **11 Toxicological information**

### Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:

• On the skin: Caustic effect on skin and mucous membranes.

· On the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Starch Acid Indicator Powder

(Cont'd. of page 6)

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.
- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

# **12 Ecological information**

### <sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- **Mobility in soil:** No relevant information available.
- <sup>•</sup> Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

Other adverse effects No relevant information available.

# **13 Disposal considerations**

# <sup>·</sup> Waste treatment methods

### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

# <sup>·</sup> Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

# Trade name: Starch Acid Indicator Powder

(Cont'd. of page 7)

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN3260
UN proper shipping name DOT ADR/RID/ADN, IMDG, IATA	Corrosive solid, acidic, inorganic, n.o.s. (Sulfamic aci CORROSIVE SOLID, ACIDIC, INORGANIC, N.O. (SULPHAMIC ACID)
Transport hazard class(es)	
DOT	
US 30- CORROSULE	
Class Label	8 8
ADR/RID/ADN	
Class	8 (C2)
Label	8
· IMDG, IATA	
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups	Warning: Corrosive substances 80 F-A,S-B Acids

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

· United States (USA)	(Cont'd. of page
SARA	
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed or exempt.	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· Canadian Domestic Substances List (DSL):	
All ingredients listed on DSL or NDSL.	
Other information	
This information is based on our present knowledge. However, this shall specific product features and shall not establish a legally valid contractuation of the stability of the	not constitute a guarantee for a

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

# Trade name: Starch Acid Indicator Powder

(Cont'd. of page 9)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers