Safety Data Sheet



SECTION 1: Product and cor	mpany identification
Product name	: WB Stainless Steel Polishing Wipes
Use of the substance/mixture	: Premoistened wipe
Product code Company	 1679 Total Solutions P.O. Box 240014 Milwaukee, WI 53224 - USA T 800-743-6417 <u>athea.com</u> Contact:Technical Department
Emergency number	: Chemtrec: 1-800-424-9300
SECTION 2: Hazards identifi	cation
2.1. Classification of the substance	ce or mixture
GHS-US classification	
Not classified	
2.2. Label elements	
GHS US labelling	
Hazard pictograms (GHS US)	
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS	US)
Not applicable.	

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	GHS-US classification
white mineral oil (petroleum) (Solvent)	(CAS-No.) 8042-47-5	7-13	Asp. Tox. 1, H304

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 If you feel unwell, seek medical advice (show the label where possible). Remove the victim into fresh air. Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Rinse mouth with water. Do NOT induce vomiting. 			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Not expected to present a significant hazard under anticipated conditions of normal use. None under normal use. Contact during a long period may cause light irritation. Direct contact with the eyes is likely to be irritating. Gastrointestinal complaints. 			

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet



SECTION 5: Firefighting measur	es				
5.1. Extinguishing media					
Suitable extinguishing media	: All extinguishing media allowed.				
5.2. Special hazards arising from the substance or mixture					
Reactivity	: Upon combustion: CO and CO2 are formed.				
5.3. Advice for firefighters					
Firefighting instructions	 Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water. 				
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.				
SECTION 6: Accidental release r	neasures				
6.1. Personal precautions, protective e	equipment and emergency procedures				
General measures	: Isolate from fire, if possible, without unnecessary risk.				
6.1.1. For non-emergency personnel Protective equipment Emergency procedures	 Protective goggles. Gloves. Protective clothing. Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area. 				
6.1.2. For emergency responders Protective equipment Emergency procedures	 Equip cleanup crew with proper protection. Stop leak if safe to do so. Stop release. Ventilate area. 				
6.2. Environmental precautions					
Avoid release to the environment. Prevent entry to sewers and public waters.					
6.3. Methods and material for containing	nent and cleaning up				
For containment Methods for cleaning up	 Contain released product, collect/pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation. 				
6.4. Reference to other sections					
No additional information available					

SECTION 7: Handling and stor	rage			
7.1. Precautions for safe handling				
Precautions for safe handling	Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.			
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.			
7.2. Conditions for safe storage, including any incompatibilities				
Technical measures Storage conditions Incompatible products Incompatible materials Storage area Special rules on packaging	 Comply with applicable regulations. Keep container closed when not in use. Oxidizing agent. Heat sources. Sources of ignition. Meet the legal requirements. Store in a cool area. Store in a dry area. meet the legal requirements. 			

8.1. Control parameters			
white mineral oil (petroleum) (8042-47-5)			
ACGIH	ACGIH OEL TWA	5 mg/m ³ (Inhalable fraction)	

Safety Data Sheet



8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Protective goggles. Protective clothing. Gloves.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Solid
Appearance	:	White wipe impregnated with an opaque, white liquid
Odour	:	Lime, Citrus scent
Odour threshold	:	No data available
pH	:	No data available
pH solution	:	7 – 8 - Tested using the liquid component of the towelette
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	> 210 °F Closed Cup - Tested using the liquid component of the towelette
Relative evaporation rate (butylacetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosive limits	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Relative vapour density at 20 °C	:	No data available
Density	:	1 g/ml - Tested using the liquid component of the towelette
Solubility	:	Liquid component is soluble in water.
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Partition coefficient n-octanol/water (Log Kow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
VOC content	:	< 1 % Tested using the liquid component of the towelette

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	

Safety Data Sheet



white mineral oil (petroleum) (8042-47-5)	
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read- across, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol), 14 day(s))
Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after eye contact	 Not classified Direct contact with the eyes is likely to be irritating. Gastrointestinal complaints.

SECTION 12: Ecological information	
12.1. Toxicity	
white mineral oil (petroleum) (8042-47-5)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability			
white mineral oil (petroleum) (8042-47-5)			
Persistence and degradability	Not readily biodegradable in water.		
12.3. Bioaccumulative potential			
white mineral oil (petroleum) (8042-47-5)			
BCF - Other aquatic organisms [1]	1216 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow)	5.18 (Experimental value)		
Bioaccumulative potential	Potential for bioaccumulation ($500 \le BCF \le 5000$).		

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods Product/Packaging disposal recommendations	 Do not flush wipes. Dispose in a safe manner in accordance with local/national regulations. 	
SECTION 14: Transport info	rmation	
Department of Transportation (DO	т)	
In accordance with DOT : Not req	gulated for transport	
Additional information		
Other information	: No supplementary information available.	
ADR		
No additional information available		
Transport by sea		
No additional information available		
Air transport		

No additional information available

Safety Data Sheet

SECTION 15: Regulatory information

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S		
Methylisothiazolinone	2682-20-4	

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reporductive toxicity.

SECTION 16: Other information			
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.		
NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.		
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.		
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.		

Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

SOLUTIONS