

SAFETY DATA SHEET

Issue Date 03-Feb-2024 Revision Date 03-Feb-2024 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name ROL-B93

Other means of identification

Product Code 150 UN/ID No. UN1814 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Liquid Alkaline Membrane Cleaner.

Uses advised against No information available

Manufacturer Address

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

Emergency telephone number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

| Skin corrosion/irritation | Category 1 Sub-category A |
|-----------------------------------|---------------------------|
| Serious eye damage/eye irritation | Category 1 |
| Corrosive to metals | Category 1 |

Label elements

Emergency Overview

Danger

Hazard statements

Causes severe skin burns and eye damage May be corrosive to metals



Appearance No information available

Physical state liquid

Odor Odorless

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician Specific treatment (see Section 4 on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Revision Date 03-Feb-2024

150 ROL-B93

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in a corrosive resistant container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- May be harmful if swallowed
- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Acute Toxicity

6% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|---------------------|-------------|----------|--------------|
| Potassium hydroxide | 1310-58-3 | 14.4 | |
| TSRN8300 | Proprietary | 12 | |
| TSRN7263 | Proprietary | 5 | |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Eye contact Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete

rinsing. Get immediate medical attention.

Skin Contact Flush with water for 15 minutes. If irritation persists after rinsing, get medical attention.

Remove contaminated clothing and wash before reuse.

Inhalation Remove victim from immediate source of exposure to fresh air. If breathing is difficult,

administer oxygen if available. If victim is not breathing, administer CPR. If individual experiences nausea, headache, or dizziness, get immediate medical attention.

Ingestion Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate

medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing

or unconscious person.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Corrosive. Causes irritation (possibly severe), burns to the eyes. May cause permanent

eye damage. Causes irritation (possibly severe), burns to the skin. Causes irritation (possibly severe), burns, pulmonary edema to the respiratory tract. Causes irritation (possibly severe), burns, nausea, vomiting to the gastrointestinal tract. The severity of effects depend on concentration and how soon after exposure the area is washed.

Revision Date 03-Feb-2024

150 ROL-B93

Indication of any immediate medical attention and special treatment needed

Note to physicians

Medical observation and assessment is recommended for all ingestions, all eye exposures, and symptomatic inhalation and dermal exposures. If medical observation is required, monitor for a minimum of 4 hours for the onset or worsening of symptoms. For symptomatic ingestion, do not administer oral fluids and consider investigation by endoscopy, X-ray, or CT scan. Esophageal perforation, airway compromise, hypotension, and shock are possible. For prolonged exposures and significant exposures, consider delayed injury to exposed tissues. If burn is present, treat as any thermal burn, after decontamination. There is no antidote. Treatment is supportive care. Surgical intervention may be required.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool fire exposed containers. Move container from fire area if it can be done without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Wear appropriate personal protective

equipment recommended in Section 8, Exposure Controls / Personal Protection, of the SDS. Isolate area. Keep unnecessary and unprotected personnel from entering the area. Take any precaution to avoid mixing with incompatible materials. Ensure adequate

ventilation, especially in confined areas.

Other Information Not Applicable.

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains. See Section 12 for additional ecological information.

Methods for containment Completely contain spilled material with dikes or sand bags, etc.

Methods for cleaning up Recover as much material as possible into containers for disposal or reuse. Remaining

material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not get in eyes, on skin, or clothing. Do not breathe vapors or mists. Do not ingest.

Wash thoroughly after handling. Wear protective clothing/equipment. Use with adequate

ventilation.

Conditions for safe storage, including any incompatibilities

150 ROL-B93 Revision 03-Feb-2024

Storage Conditions Keep containers tightly closed and properly labeled. Containers that have been emptied will

retain product residue and should be handled as if they were full. Store in a cool, dry, well-ventilated place away from incompatible materials. Wash hands before eating, drinking, using tobacco, applying make-up or using the toilet. Do not store, use, and/or

consume foods, beverages, tobacco in areas where this product is stored.

Incompatible materials Flammable liquids; Acids; Halogenated compounds; Water; Prolonged contact with

aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------------|------------------------------|--|------------------------------|
| Potassium hydroxide 1310-58-3 | Ceiling: 2 mg/m ³ | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |

Appropriate engineering controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear protective splash proof safety goggles. Additional full face protection is recommended

if splashing is a possibility.

Skin and body protection Wear protective gloves and protective clothing. Protective shoes or boots.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance No information available Odor Odorless

Color clear colorless Odor threshold No information available

PropertyValuesRemarks • MethodpH12.41% Solution

Melting point/freezing point No information available

Boiling point / boiling range
Flash point
Evaporation rate

No information available
No information available
No information available

Flammability (solid, gas) No information available

Flammability Limit in Air
Upper flammability limit:
No informat

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 1.352

Water solubility Soluble in water

Solubility in other solvents No information available

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under normal conditions of use and storage.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Avoid extreme heat.

Incompatible materials

Flammable liquids; Acids; Halogenated compounds; Water; Prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Toxic fumes of potassium oxide, phosphorus oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation May cause irritation of respiratory tract.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact Contact causes severe skin irritation and possible burns.

Ingestion Ingestion causes burns of the upper digestive and respiratory tracts.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------------|-------------------|-------------------------|-----------------|
| Potassium hydroxide 1310-58-3 | = 214 mg/kg (Rat) | - | - |
| TSRN8300 | - | > 4640 mg/kg (Rabbit) | - |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 6% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 3288 mg/kg ATEmix (dermal) 31126 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

11% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|----------------------------------|----------------------|---|--------------------------------|
| Potassium hydroxide 1310-58-3 | - | 80: 96 h Gambusia affinis mg/L LC50 static | - |
| TSRN8300 | - | 100: 96 h Oncorhynchus mykiss mg/L LC50 | 100: 48 h water flea mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical Name | Partition coefficient | |
|---------------------|-----------------------|--|
| Potassium hydroxide | 0.65 | |
| 1310-58-3 | 0.83 | |

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

| Chemical Name | California Hazardous Waste Status |
|---------------------|-----------------------------------|
| Potassium hydroxide | Toxic |
| 1310-58-3 | Corrosive |

14. TRANSPORT INFORMATION

DOT Regulated UN/ID No. UN1814

Proper shipping name Potassium Hydroxide, Solution

Hazard Class 8
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

TSCA Does not comply **DSL/NDSL** Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply Does not comply **KECL PICCS** Does not comply **AICS** Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute health hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | Yes |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Potassium hydroxide 1310-58-3 | 1000 lb | - | - | Х |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------|--------------------------|----------------|--------------------------|
| Potassium hydroxide | 1000 lb | - | RQ 1000 lb final RQ |
| 1310-58-3 | | | RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------------|------------|---------------|--------------|
| Potassium hydroxide | X | X | X |
| 1310-58-3 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

Revision Date 03-Feb-2024

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 1 Personal protection X

Prepared By Imt

Issue Date03-Feb-2024Revision Date03-Feb-2024

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet