

SAFETY DATA SHEET

1. Identification

Product identifier

Other means of identification **Z-30 FG Defoamer** Recommended use Anti-foaming agent.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Anderson Chemical Company **Address** 325 South Davis Avenue

Litchfield, MN 55355

1-320-693-2477 **Main Telephone Number**

1-800-424-9300 **Emergency #: CHEMTREC**

2. Hazard(s) identification

Not classified. **Physical hazards** Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards

Label elements

None. **Hazard symbol** Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Not available. Not available. Response

Store away from incompatible materials. Store in a well-ventilated place. Keep container tightly **Storage**

closed. Store locked up. Store in accordance with local, regional, national, and international

regulations.

Disposal Dispose of contents and container in accordance with local, regional, national, and international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 37.973% of the mixture consists of component(s) of unknown acute hazards to the aquatic

> environment. 37.973% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. FDA Ingredients: water (7732-18-5), polydimethylsiloxane (63148-62-9),

sorbitan monostearate (1338-41-6), polyoxyethylene monostearate (9004-99-3), silica

+dimethylsiloxane (67762-90-7), propylene glycol (57-55-6), xanthan gum (11138-66-2), sorbic

acid (110-44-1), oleic acid (112-80-1).

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Propylene Glycol		57-55-6	1 - < 3
Other components below	reportable levels		90 - 100

Residuals

Chemical name	Common name and synonyms	CAS number	%	
1.4-dioxane		123-91-1	< 0.0003	

Material name: Z-30 FG Defoamer SDS US Residuals

Chemical name Common name and synonyms **CAS** number % 75-21-8 < 0.00003 Ethylene Oxide

Composition comments Occupational Exposure Limits for residuals are listed in Section 8.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation. Most important

symptoms/effects, acute and delayed

Indication of immediate

treatment needed

Treat symptomatically. medical attention and special

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information protect themselves.

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and

emergency procedures

Methods and materials for clean-up

Environmental precautions

7. Handling and storage

discharge into drains, water courses or onto the ground.

Precautions for safe handling Conditions for safe storage,

including any incompatibilities

Not available.

Do not allow product to freeze. Freezing will affect the physical condition and may damage material. Store in a cool, dry place.

Value

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear

return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid

appropriate personal protective equipment. Ensure adequate ventilation. Local authorities should

be advised if significant spillages cannot be contained. For personal protection, see section 8 of

Absorb/clean with appropriate and compatible material. Stop flow of material if without risk. Never

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Residuals

Residuais	туре	Value
Ethylene Oxide (CAS 75-21-8)	STEL	5 ppm
	TWA	1 ppm

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000) Residuals Type

1,4-dioxane (CAS 123-91-1) PEL 360 mg/m3

Material name: Z-30 FG Defoamer SDS US

Residuals	Туре	Value	
		100 ppm	
US. ACGIH Threshold Limit Values	s (TLV)		
Residuals	Туре	Value	
1,4-dioxane (CAS 123-91-1)	TWA	20 ppm	
Ethylene Oxide (CAS 75-21-8)	TWA	1 ppm	
NIOSH. Immediately Dangerous to	Life or Health (IDLH) Values,	as amended	
Residuals	Туре	Value	
1,4-dioxane (CAS 123-91-1)	IDLH	2 %	
		500 ppm	
Ethylene Oxide (CAS 75-21-8)	IDLH	3 %	
		800 ppm	
US. NIOSH: Pocket Guide to Chen	nical Hazards Recommended	Exposure Limits (REL)	
Residuals	Туре	Value	
1,4-dioxane (CAS 123-91-1)	Ceiling	3.6 mg/m3	
		1 ppm	
Ethylene Oxide (CAS 75-21-8)	Ceiling	9 mg/m3	
		5 ppm	
	TWA	0.18 mg/m3	
		0.1 ppm	
US. OARS. Workplace Environmer	ntal Exposure Level (WEEL) G	Guide	
Components	Type	Value	Form
Propylene Glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.

Biological limit values

ACGIH Biological Exposure Indices (BEI) Residuals Value **Determinant** Specimen **Sampling Time** Ethylene Oxide (CAS S-(2-hydroxyet Creatinine in 5 µg/g 75-21-8) hyl) mercapturic urine acid (HEMA) Hemoglobin 5000 pmol/g N-(2-hydroxyet adducts hyl)-valine (HEV) hemoglobin adducts

Exposure guidelines

US - California OELs: Skin designation

1,4-dioxane (CAS 123-91-1) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

1,4-dioxane (CAS 123-91-1) Skin designation applies.

US - Tennessee OELs: Skin designation

1,4-dioxane (CAS 123-91-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

1,4-dioxane (CAS 123-91-1) Danger of cutaneous absorption Ethylene Oxide (CAS 75-21-8) Danger of cutaneous absorption

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

1,4-dioxane (CAS 123-91-1) Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Material name: Z-30 FG Defoamer SDS US

^{* -} For sampling details, please see the source document.

Individual protection measures, such as personal protective equipment

General It is recommended that users of this product perform a risk assessment to determine the

appropriate PPE.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material

considerations and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Cream.
Physical state Liquid.
Form Liquid.
Color White.

Odor Mild.

Odor threshold Not available.

pH > 4 - < 7 (1% in 50:50 IPA:H2O) Melting point/freezing point -43.66 °F (-42.04 °C) estimated Initial boiling point and boiling 321.2 °F (160.67 °C) estimated

range

Flash point >212.0 °F (>100.0 °C) Pensky-Martens Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Dispersible.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature

749.87 °F (398.82 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Explosive properties Not explosive.

Flammability class Combustible IIIB estimated

Flash point class Non-Flammable Oxidizing properties Not oxidizing.

Specific gravity > 0.99 - < 1.02 @ 25°C

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Acids. Bases, alkalis (organic).

 Material name: Z-30 FG Defoamer
 SDS US

 320042-05
 Version #: 01
 Revision date: 12-26-2024
 Issue date: 12-26-2024
 4 / 8

Carbon oxides. Formaldehyde.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

riouto toxioity			
roduct Species		Test Results	
Z-30 Defoamer			
<u>Acute</u>			
Dermal			
LD50	Guinea pig	11111111 mg/kg	
Oral			
LD50	Rat	313 g/kg	
Components	Species	Test Results	
Propylene Glycol (CAS 57	7-55-6)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	20800 mg/kg	
Oral			
LD50	Rat	21000 - 33700 mg/kg	
Residuals Species		Test Results	
1,4-dioxane (CAS 123-91-	-1)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	7600 mg/kg	
Oral			

LD50 Rabbit 2000 mg/kg

Ethylene Oxide (CAS 75-21-8)

Acute

Inhalation

LC50 Rat 1462 ppm, 4 Hours

Oral

LD50 Rat 72 mg/kg

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye Due to partial or complete lack of data the classification is not possible.

irritation

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Skin sensitization Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

1,4-dioxane (CAS 123-91-1) 2B Possibly carcinogenic to humans. Ethylene Oxide (CAS 75-21-8) 1 Carcinogenic to humans.

Material name: Z-30 FG Defoamer SDS US 320042-05 Version #: 01 Revision date: 12-26-2024 Issue date: 12-26-2024 5/8

^{*} Estimates for product may be based on additional component data not shown.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Ethylene Oxide (CAS 75-21-8) Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

1,4-dioxane (CAS 123-91-1) Reasonably Anticipated to be a Human Carcinogen.

Ethylene Oxide (CAS 75-21-8) Known To Be Human Carcinogen.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Prolonged inhalation may be harmful. **Chronic effects**

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
Z-30 Defoamer			
Aquatic			
Fish	LC50	Fish	120571.7422 mg/l, 96 hours estimated
Acute			
Algae	EC50	Algae	12050 mg/l, 72 hours estimated
Crustacea	EC50	Daphnia	145651.0938 mg/l, 48 hours estimated
Fish	LC50	Fish	4.2047 mg/l, 96 hours estimated
Components		Species	Test Results
Propylene Glycol (CAS	S 57-55-6)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)) 710 mg/l, 96 hours
Residuals		Species	Test Results
1,4-dioxane (CAS 123	-91-1)		
Aquatic			
Acute			
Fish	LC50	Inland silverside (Menidia beryllina)	6700 mg/l, 96 hours
Ethylene Oxide (CAS	75-21-8)		
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)) 73 - 96 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Propylene Glycol -0.92

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. **Disposal instructions**

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Material name: Z-30 FG Defoamer SDS US 6 / 8

320042-05 Version #: 01 Revision date: 12-26-2024 Issue date: 12-26-2024

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

All components are on the U.S. EPA TSCA Inventory List. **US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components of the mixture on the TSCA 8(b) inventory are designated

"active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,4-dioxane (CAS 123-91-1) Listed. Ethylene Oxide (CAS 75-21-8) Listed.

SARA 304 Emergency release notification

Toxic Substances Control Act (TSCA)

Ethylene Oxide (CAS 75-21-8) 10 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Ethylene Oxide (CAS 75-21-8) Cancer

Reproductive toxicity

Mutagenicity

Central nervous system Skin sensitization Skin irritation Eve irritation

respiratory tract irritation

Acute toxicity Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name **CAS** number Reportable **Threshold Threshold Threshold** quantity planning quantity planning quantity, planning quantity, upper value (pounds) (pounds) lower value (pounds) (pounds) Ethylene Oxide 75-21-8 10 1000

SARA 311/312 Hazardous Nο

chemical

SARA 313 (TRI reporting) Not regulated.

US state regulations

California Proposition 65

WARNING: This product can expose you to chemicals including Ethylene Oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

1.4-dioxane (CAS 123-91-1) Listed: January 1, 1988 Ethylene Oxide (CAS 75-21-8) Listed: July 1, 1987

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

Material name: Z-30 FG Defoamer SDS US 320042-05 Version #: 01 Revision date: 12-26-2024 Issue date: 12-26-2024 7 / 8

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 07-17-2013

 Revision date
 09-19-2024

Version # 15
Material ID 1933
HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1 Flammability: 1

Instability: 0

Disclaimer The information provided in this Safety Data Sheet has been obtained from sources believed to be

reliable. Anderson Chemical Company, provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. Anderson Chemical

Company, knows of no medical condition, other than those noted on this Safety Data Sheet, which

are generally recognized as being aggravated by exposure to this product.

Revision information New product

Material name: Z-30 FG Defoamer SDS US