

SAFETY DATA SHEET

SA-80

Section 1. Identification

Product Identifier: SA-80
Other Means of Identification: Organic Salt
Product Type: Liquid
Recommended Uses: Acid pH adjustment
Restrictions on use: None known

Supplier's Details: Anderson Chemical Company
325 South Davis Avenue
Litchfield, MN 55355
Tel: 320-693-2477
Toll Free: 800-366-2477

Emergency Telephone: CHEMTREC, U.S.: 1-800-424-9300
Number

Section 2. Hazards Identification

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the: CORROSIVE TO METAL – Category 1
Substance or mixture SERIOUS EYE DAMAGE/EYE IRRITATION – Category 1

GHS Label Elements
Hazard pictograms:



Signal Word: Danger
Hazard Statements: May be corrosive to metals.
Causes serious eye damage.

Precautionary Statements

Prevention: Keep only in original packaging. Wear eye or face protection.

Response: Absorb spillage to prevent material damage.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Storage: Store in a corrosion resistant container or a container with a resistant inner liner.
Disposal: Not applicable

Hazards Not Otherwise: None Known
Classified

Section 3. Composition/Information on Ingredients

Substance/mixture: Mixture

Chemical Name	%	CAS Number
Carbamide dihydrogen sulfate	60-100	21351-39-3

The exact percentage of the composition has been withheld as it is a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

- Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin Contact:** Flush contaminated skin with plenty of water. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion:** Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most Important Symptoms/Effects, Acute and Delayed

Potential Acute Health Effects

Eye Contact: Causes serious eye damage

Inhalation:	Exposure to decomposition products or mist may cause a health hazard. Serious effects may be delayed following exposure.
Skin Contact:	No known significant effects or critical hazards.
Ingestion:	Irritating to mouth, throat and stomach

Over Exposure Signs/Symptoms

Eye Contact:	Adverse symptoms may include the following: Pain or irritation Watering Redness
Inhalation:	Exposure to decomposition products or mist may cause a health hazard
Skin Contact:	No known significant effects or critical hazards.
Ingestion:	Irritating to mouth, throat and stomach

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific Treatments:	No specific treatment
Protection of First Aiders:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Section 5. Fire-Fighting Measures

Extinguishing Media

Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known

Specific Hazards Arising from the chemical At temperatures above 60°C/140°F acid action on most metals may release hydrogen, a highly flammable and explosive gas.

Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides
---	--

Special protective actions for fire-fighters No special measures are required.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

**For non-emergency:
Personnel** No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental Precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and Materials for Containment and Cleaning Up

Spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions for Safe Handling

Protective Measures: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Advice on General:
occupational hygiene** Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

**Conditions for Safe:
Storage, including any
Incompatibilities** Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure Controls/ Personal Protection

Control Parameters

**Occupational Exposure:
Limits** None

**Appropriate Engineering:
Controls** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental Exposure:
Controls** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual Protection Measures

Hygiene Measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin Protection

Hand Protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other Skin Protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection: Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and Chemical Properties

Appearance

Physical State: Liquid. [Clear]
Color: Pale straw colored

Odor: Not available

Odor Threshold: Not available

pH: Not available

Melting/Freezing Point:	Not available
Boiling Point/Range:	100°C (212°F)
Flash Point:	>93.3°C (>200°F)
Evaporation Rate:	>1 (Butyl acetate = 1)
Flammability (solid, gas):	Not available
Lower and Upper Explosive: (flammable) Limits	Not available
Vapor Pressure:	<0.013kPa (<0.1mmHg) [room temperature]
Vapor Density:	>1 [Air = 1]
Relative Density:	1.50-1.56
Solubility:	Easily soluble in the following materials: water
Partition Coefficient: n-octanol/water	Not available
Auto-Ignition Temperature:	Not available
Decomposition Temperature:	Not available
Viscosity:	Not available

Section 10. Stability and Reactivity

Reactivity:	No specific test data related to reactivity available for this product or its ingredients
Chemical Stability:	The product is stable
Possibility of Hazardous: reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Heating above 110°C results in an exothermic decomposition with rapid release of CO ₂ gas.
Incompatible Materials:	Reactive or incompatible with the following materials: metal powders, bases, strong oxidizing or reducing agents.
Hazardous Decomposition: products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Carbamide dihydrogen sulfate	LD50 Oral	Rat	>2000 mg/kg	-
	LD50 Dermal	Rat	>2000 mg/kg	

Irritation/Corrosion

Not a skin irritant

Causes serious eye damage

Sensitization

Not a skin sensitizer

Carcinogenicity

No components are listed as carcinogens by IARC, ACGIH, OSHA or NTP.

Specific Target Organ Toxicity (single exposure)

There is no data available

Specific Target Organ Toxicity (repeated exposure)

There is no data available

Aspiration Hazard

There is no data available

Information on the likely: Dermal contact. Eye contact. Inhalation. Ingestion.
routes of exposure

Potential Acute Health Effects

Eye contact: Causes serious eye damage.
Inhalation: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin Contact: No known significant effects or critical hazards.
Ingestion: May be irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye Contact: Adverse symptoms may include the following:
Pain or irritation
Watering
Redness
Inhalation: No known significant effects or critical hazards.
Skin Contact: No known significant effects or critical hazards.
Ingestion: May be irritating to mouth, throat and stomach.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: No known significant effects or critical hazards.
Potential delayed effects: No known significant effects or critical hazards.

Long term exposure

Potential immediate effects: No known significant effects or critical hazards.
Potential delayed effects: No known significant effects or critical hazards.

Potential chronic health effects

General: No known significant effects or critical hazards.
Carcinogenicity: No known significant effects or critical hazards.
Mutagenicity: No known significant effects or critical hazards.
Teratogenicity: No known significant effects or critical hazards.
Developmental effects: No known significant effects or critical hazards.
Fertility effects: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates There is no data available.

Section 12. Ecological Information

Toxicity

Product/ingredient name	Result	Species	Exposure
SA-80	Acute LC50 >100 mg/L	Ceriodaphnia dubia	48 hours

Persistence and Degradability: Readily biodegradable

Bioaccumulative Potential: There is no data available

Mobility in Soil

**Soil/water partition coefficient:
(K_{oc})** Not available

Other adverse effects: No known significant effects or critical hazards.

Section 13. Disposal Considerations

Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport Information

	DOT	TDG	IMDG	IATA
UN Number	Not regulated	1760	1760	1760
UN Proper Shipping Name	-	Corrosive liquid N.O.S. (Carbamide dihydrogen sulfate)	Corrosive liquid N.O.S. (Carbamide dihydrogen sulfate)	Corrosive liquid N.O.S. (Carbamide dihydrogen sulfate)
Transport Hazard Class(es)	-	8	8	8
Packing Group	-	III	III	III
Environmental Hazards	No	No	No	No
Additional Information	Exempt under DOT 49 CFR 173.154 (d). This material is corrosive to aluminum only. Not corrosive to mild steel and skin	This material is corrosive to aluminum only. Not corrosive to mild steel and skin	This material is corrosive to aluminum only. Not corrosive to mild steel and skin	This material is corrosive to aluminum only. Not corrosive to mild steel and skin

Transport in bulk according: Not available

**To Annex II of MARPOL
73/78 and the IBC Code**

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory Information

U.S. Federal Regulations: **United States Inventory (TSCA):** All components are listed or exempted

Clean Air Act Section 112: Not listed

(b) Hazardous Air

Pollutants (HAPS)

Clean Air Act Section 602: Not listed

Class I Substances

Clean Air Act Section 602: Not listed

Class II Substances

DEA List I Chemicals: Not listed

(Precursor Chemicals)

DEA List II Chemicals: Not listed

(Essential Chemicals)

SARA 302/304

Composition/Information on Ingredients

Not listed

SARA 311/312

Classification: See Section 2 for more information

California Proposition 65:

Components: Formaldehyde CAS#: 50-00-0

This product may contain detectable quantities of formaldehyde which is a chemical on the California Prop 65 list. Levels are typically very low but may vary. Anderson Chemical Company believes that if formulated properly, the levels in this product should not cause a finished product to exceed the daily exposure limits. Please consult Anderson Chemical Company in order to obtain information and assistance in meeting your requirements under the Prop 65 requirements for your finished formulation(s).

International Lists

National Inventory

Australia (AICS): One or more components are not listed.

Canada (DSL): All components are listed or exempted.

China (IECSC): One or more components are not listed.

Europe (EINECS): All components are listed or exempted.

Japan (ENCS): All components are listed or exempted.

New Zealand (NZIoC): All components are listed or exempted.

Philippines (PICCS): One or more components are not listed.

Republic of Korea (KECL): One or more components are not listed.

Taiwan (NECI): All components are listed or exempted.

Section 16. Other Information

History

Date of issue mm/dd/yyyy: 04/25/2023
Date of previous issue: 06/28/2022
Version: 5
Revised Section(s): 2, 4, 11
Prepared by: L. Tipka

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Disclaimer: As the handling and use of products under user's conditions are beyond our control, no warranty, expressed or implied, including, but not limited to merchantability or fitness for a particular use, is made concerning this product. The user assumes all risk of use or handling whether or not in accordance with any directions or suggestions of the supplier. Seller shall not be liable to purchaser or any other person for loss or damages directly or indirectly arising from the use of our products, from breach of any warranty or from any other cause, the exclusive remedy against the seller being to require replacement or repair of defective goods.