

STEOL® CS-330

Version Revision Date:
1.0 11/22/2023

Date of last issue: -
Date of first issue: 11/22/2023

SECTION 1. IDENTIFICATION

Product name : STEOL® CS-330

Product code : 000000000001053729

Manufacturer or supplier's details

Company name of supplier : STEPAN US

Address : 1101 Skokie Blvd, Suite 500
Northbrook IL 60062

Telephone : (847) 446-7500

Emergency telephone Medical 1-800-228-5635 (Available 24 hours a day.
SDS/Product information may not be
available for the emergency service.)
Chemtrec 1-800-424-9300
Chemtrec Int'l 1-703-527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Surfactant

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin irritation : Category 2

Serious eye damage : Category 1

Short-term (acute) aquatic : Category 2
hazard

Long-term (chronic) aquatic : Category 3
hazard

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.
H318 Causes serious eye damage.

STEOL® CS-330

Version 1.0
Revision Date: 11/22/2023

Date of last issue: -
Date of first issue: 11/22/2023

H401 Toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

:

Prevention:

P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

Storage:

Store away from incompatible materials.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	27.5 - 29
Alcohols (c12-15 Ln. Saturated) Ethoxylate	68131-39-5	0 - 1.4

SECTION 4. FIRST AID MEASURES

General advice

:

Do not leave the victim unattended.

If inhaled

:

Move to fresh air.
If symptoms persist, call a physician.

In case of skin contact

:

Remove contaminated clothing and shoes.
If on skin, rinse well with water.
Get medical attention if irritation develops and persists.
Wash contaminated clothing before reuse.

In case of eye contact

:

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at

STEOL® CS-330

Version 1.0
Revision Date: 11/22/2023

Date of last issue: -
Date of first issue: 11/22/2023

- least 15 minutes.
Seek medical advice.
Continue rinsing eyes during transport to hospital.
- If swallowed : Rinse mouth.
If large quantities of this material are swallowed, call a physician immediately.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
Causes serious eye damage.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide, dry powder, foam.
Fog
- Unsuitable extinguishing media : Water spray jet
- Specific hazards during fire fighting : May release toxic, irritating and/or corrosive gases.
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Keep people away from and upwind of spill/leak.
Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- Environmental precautions : Discharge into the environment must be avoided.
Do not allow contact with soil, surface or ground water.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.
Dam up.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
After cleaning, flush away traces with water.

STEOL® CS-330

Version
1.0Revision Date:
11/22/2023Date of last issue: -
Date of first issue: 11/22/2023

Clean thoroughly.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wear personal protective equipment.
Do not get in eyes or mouth or on skin.
Do not swallow.
Handle and open container with care.
Avoid breathing dust, fume, gas, mist, vapors or spray.
Wash skin thoroughly after handling.
- Conditions for safe storage : Store in original container.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Hand protection
- Remarks : Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Safety glasses with side-shields
Face-shield
- Skin and body protection : Lightweight protective clothing
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Protective measures : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- Hygiene measures : General industrial hygiene practice.
Remove and wash contaminated clothing and gloves, including the inside, before re-use.

SAFETY DATA SHEET



STEOL® CS-330

Version
1.0

Revision Date:
11/22/2023

Date of last issue: -
Date of first issue: 11/22/2023

Wash hands before breaks and immediately after handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Clear liquid
pH	: 6.5 - 8.5 (10% in water)
Melting point/freezing point	: 28.99 °F / -1.67 °C
Pour point	: 34.00 °F / 1.11 °C
Boiling point/boiling range	: > 212 °F / > 100 °C
Flash point	: > 201.0 °F / > 93.9 °C Method: Pensky-Martens closed cup
Density	: 8.6 lb/gal (77 °F / 25 °C)
Viscosity Viscosity, dynamic	: < 200 mPa.s (77 °F / 25 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Stable under recommended storage conditions.
Conditions to avoid	: Temperatures greater than recommended storage temperature.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
---------------------	--

STEOL® CS-330

Version Revision Date:
1.0 11/22/2023

Date of last issue: -
Date of first issue: 11/22/2023

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Product:

Assessment : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Assessment : Corrosive

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : Does not cause skin sensitization.

Assessment : Does not cause respiratory sensitization.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity - : Contains no ingredient listed as a mutagen
Assessment

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assess- : Not classifiable as a human carcinogen.
ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

STEOL® CS-330

Version
1.0Revision Date:
11/22/2023Date of last issue: -
Date of first issue: 11/22/2023

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Fish): 2.3 mg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.12 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia): 0.34 mg/l
Exposure time: 21 d

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

STEOL® CS-330



Date of last issue: -
Date of first issue: 11/22/2023

Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Not regulated as a dangerous good

STEOL® CS-330

Version
1.0Revision Date:
11/22/2023Date of last issue: -
Date of first issue: 11/22/2023**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

formaldehyde	50-00-0	>= 0 - < 0.1 %
--------------	---------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

formaldehyde	50-00-0	>= 0 - < 0.1 %
--------------	---------	----------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

California Prop. 65

WARNING: This product can expose you to chemicals including 1,4-dioxane, ethylene oxide, formaldehyde, which is/are known to the State of California to cause cancer, and

STEOL® CS-330

Version
1.0Revision Date:
11/22/2023Date of last issue: -
Date of first issue: 11/22/2023

ethylene oxide, methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


The ingredients of this product are reported in the following inventories:

TSCA	: On the inventory, or in compliance with the inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: On the inventory, or in compliance with the inventory
IECSC	: All components are listed on the inventory, regulatory obligations/restrictions apply
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: Not in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Sub-

Stepan

Date of last issue: -
Date of first issue: 11/22/2023

Terms and Conditions. This MSDS is designed only as guidance for the products to which it applies. To the greatest extent permitted by applicable law, nothing contained herein creates any legal obligation including contractual obligations, expressed or implied warranties, including any warranties of merchantability or fitness for particular purpose; or confers any intellectual property rights, including rights to use trademarks or a license to use patents, issued or pending. The information contained herein is based on the manufacturer's own study and the work of others, and is subject to change at any time without further notice. There is no warranty, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this MSDS, or in any other way related (directly or indirectly) to this MSDS. The receipt and use of this information constitutes consent to these terms and conditions.

Revision Date : 11/22/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8