

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
 Product name : Sterilex Ultra Step
 Product code : See product label
 EPA Registration # : 63761-10
 Health Canada: DIN registration # : 02539373

1.2. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Disinfectant

1.3. Supplier's details

Manufacturer

Sterilex LLC
 111 Lake Front Dr
 Hunt Valley, MD 21030 - USA
 T 443-541-8800

1.4. Emergency phone number

Emergency number : Velocity EHS (24 hours) 1-800-255-3924 (North America)
 VelocityEHS (24 hours) 001-813-248-0585 (International)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

GHS classification

Skin irritation, Category 2
 Serious eye damage, Category 1

2.2. Label elements

GHS labelling

Hazard pictograms (GHS) :



Signal word (GHS) :

Danger

Hazard statements (GHS) :

H315 - Causes skin irritation
 H318 - Causes serious eye damage

Precautionary statements (GHS) :

P264 - Wash hands, forearms and face thoroughly after handling.
 P280 - Wear eye protection, face protection, protective gloves, protective clothing.
 P302+P352 - If on skin: Wash with plenty of water.
 P362+P364 - Take off contaminated clothing and wash it before reuse.
 P332+P313 - If skin irritation occurs: Get medical advice or attention.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a poison center or doctor.

2.3. Hazards not otherwise classified

No additional information available

Sterilex Ultra Step

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

2.4. Unknown acute toxicity

Not applicable.

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	Conc. (% w/w)
Sodium percarbonate	Carbonic acid disodium salt, compound with hydrogen peroxide (H ₂ O ₂) (2:3) / Carbonic acid, disodium salt, compound with hydrogen peroxide (H ₂ O ₂) (2:3) / Disodium carbonate, compound with hydrogen peroxide (2:3) / Sodium carbonate peroxide / Sodium carbonate peroxyhydrate / Carbonic acid disodium salt, compound with hydrogen peroxide (2:3) / Carbonic acid, disodium salt, compound with hydrogen peroxide (2:3) / SODIUM CARBONATE PEROXIDE / Carbonic acid sodium salt (1:2), compound with hydrogen peroxide (H ₂ O ₂) (2:3) / Disodium carbonate, hydrogen peroxide (2:3) / Disodium peroxocarbonate / Compound of sodium carbonate with hydrogen peroxide (2:3)	CAS-No.: 15630-89-4	7 - 13
Disodium carbonate	Sodium carbonate / Carbonic acid, disodium salt / Soda ash / Sodium carbonate (2:1) / Sodium carbonate, anhydrous / Carbonic acid sodium salt (1:2) / SODIUM CARBONATE / Sodium carbonate anhydrous	CAS-No.: 497-19-8	3 - 7
Tetrasodium EDTA	Ethylenediaminetetraacetic acid, tetrasodium salt / Tetrasodium ethylenediaminetetraacetate / Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, sodium salt (1:4) / Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, tetrasodium salt / TETRASODIUM EDTA / EDTA tetrasodium salt / Tetrasodium salt of ethylenediaminetetraacetic acid / Acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt / EDTA, tetrasodium / Tetrasodium edetate / N,N'-1,2-Ethanediybis(N-(carboxymethyl)glycine) tetrasodium salt / Tetrasodium 2,2',2'',2'''-(ethylenedinitrilo)tetraacetate / Tetrasodium ethylene diamine tetraacetate / edetate sodium / Edetate sodium	CAS-No.: 64-02-8	1 - 5
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	Benzyl-C12-16-alkyldimethylammonium chloride / Quaternary ammonium compounds, benzylalkyl(C12-16)dimethyl, chlorides / Benzyl[alkyl(C12-16)]dimethylammonium chloride / Alkyl(C12-16)dimethylbenzylammonium chloride / Alkyl(C12-16)dimethylbenzyl ammonium chloride / Quaternary ammonium compounds, benzyl C12-16 (even numbered)-alkyldimethyl chlorides / Alkyl(C12-16)(benzyl)(dimethyl)ammonium chloride / Alkyl(C12-16) dimethylbenzylammonium chloride / Quaternary ammonium compounds, benzyl C12-16 alkyl dimethyl, chlorides / Alkyl C12-16 dimethylbenzyl ammonium chloride	CAS-No.: 68424-85-1	1 - 5

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: IF SWALLOWED: Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Sterilex Ultra Step

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact	: Causes serious eye damage. May cause burns. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/effects after ingestion	: May be harmful if swallowed. Not expected to be a primary route of exposure. Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
-----------------------------------	--

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon. Oxygen. Nitrogen oxides. Irritating fumes. Oxides of sodium.
-------------	--

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray to cool exposed surfaces.
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
------------------	--

For non-emergency personnel

No additional information available

For emergency responders

Environmental precautions	: Prevent entry to sewers and public waters. Collect spillage. Avoid release to the environment.
---------------------------	--

6.2. Methods and materials for containment and cleaning up

For containment	: Contain spill, then place in a suitable container. Minimise dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up	: Vacuum or sweep material and place in a disposal container. Avoid dust formation.

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: If medical advice is needed, have product container or label at hand. Avoid contact with skin and eyes. Avoid breathing dust/mist/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Avoid generating dust.
-------------------------------	---

Sterilex Ultra Step

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool place. Containers should be kept upright to prevent spillage. Keep away from food, drink and animal feeding stuffs. Keep away from heat and direct sunlight.

Incompatible materials : Refer to Section 10 on Incompatible Materials.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:	
Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness.	
Eye protection:	
Wear eye/face protection	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
None under normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.	

Other information: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: Blue light blue
Odour	: Odourless
Odour threshold	: No data available
pH	: 8.5 – 10.5
pH solution concentration	: 1 %
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Flammability (solid, gas)	: Not flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C/ 68 °F	: No data available
Relative density	: No data available
Solubility	: Soluble.

Sterilex Ultra Step

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Explosive properties	: Product does not present an explosion hazard.
Oxidising properties	: Not oxidizing.
Particle characteristics	: No data available
Bulk density	: 1.155 g/mL
Other properties	: Hygroscopic product.
VOC content	: 0.029%

Disodium carbonate

Boiling point	(decomposes)
Particle characteristics	No data available

Tetrasodium EDTA

Flash point	> 100 °C (closed cup)
Auto-ignition temperature	> 100 °C
Vapour pressure	0 hPa Temp.: 25 °C
Particle characteristics	No data available

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Flash point	105 °C (closed cup)
Vapour pressure	0 mm Hg (at 20 °C)
Particle characteristics	No data available

SECTION 10 Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Direct sunlight. Dust formation. Moisture. Incompatible materials.

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Oxygen. Nitrogen oxides. Irritating fumes. Oxides of sodium.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Sterilex Ultra Step

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified.

Sterilex Ultra Step	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 5000
LC50 inhalation rat	> 2 mg/l

Sodium percarbonate (15630-89-4)	
LD50 oral rat	1034 mg/kg (Source: OECD_SIDS)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:EPA Guideline

Disodium carbonate (497-19-8)	
LD50 oral rat	4090 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:EPA 16 CFR 1500.40
ATE CA (oral)	4090 mg/kg bodyweight

Tetrasodium EDTA (64-02-8)	
LD50 oral rat	1658 mg/kg (Source: NZ_CCID)
LD50 oral	1210 mg/kg

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)	
LD50 oral rat	426 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	3412.5 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)

Skin corrosion/irritation : Causes skin irritation.

pH: 8.5 – 10.5

Serious eye damage/irritation : Causes serious eye damage.

pH: 8.5 – 10.5

Respiratory or skin sensitisation : Not classified.

Germ cell mutagenicity : Not classified.

Carcinogenicity : Not classified.

Reproductive toxicity : Not classified.

STOT-single exposure : Not classified.

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified.

Tetrasodium EDTA (64-02-8)	
LOAEL (oral, rat, 90 days)	60 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.015 mg/l air Animal: rat, Animal sex: female, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (oral, rat, 90 days)	6 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard : Not classified.

Sterilex Ultra Step	
Viscosity, kinematic	No data available

Sodium percarbonate (15630-89-4)	
Viscosity, kinematic	No data available

Sterilex Ultra Step

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Disodium carbonate (497-19-8)	
Viscosity, kinematic	No data available
Tetrasodium EDTA (64-02-8)	
Viscosity, kinematic	No data available
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)	
Viscosity, kinematic	No data available

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : Harmful to aquatic life.
Hazardous to the aquatic environment, short-term (acute) : Not classified.
Hazardous to the aquatic environment, long-term (chronic) : Not classified.

Sterilex Ultra Step	
LC50 - Fish	26.8 mg/l 96 hr LC50 Species: Fathead minnow (Freshwater fish)
Sodium percarbonate (15630-89-4)	
LC50 - Fish [1]	70.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	4.9 mg/l Test organisms (species): Daphnia pulex
Disodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	310 – 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
Tetrasodium EDTA (64-02-8)	
LC50 - Fish [1]	> 116 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 114 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 72h - Algae [1]	> 60 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
ErC50 algae	1.01 mg/l
LOEC (chronic)	50 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 25.7 mg/l Test organisms (species): Duration: '35 d'
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)	
LC50 - Fish [1]	0.515 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	0.016 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	0.01 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	0.03 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

Sterilex Ultra Step

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

12.2. Persistence and degradability

Sterilex Ultra Step

Persistence and degradability	Not established.
-------------------------------	------------------

Sodium percarbonate (15630-89-4)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Disodium carbonate (497-19-8)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Tetrasodium EDTA (64-02-8)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

Sterilex Ultra Step

Bioaccumulative potential	Not established.
---------------------------	------------------

Sodium percarbonate (15630-89-4)

BCF - Fish [1]	(no bioaccumulation)
----------------	----------------------

Disodium carbonate (497-19-8)

BCF - Fish [1]	(no bioaccumulation)
----------------	----------------------

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

Partition coefficient n-octanol/water	0.004 – 2.75 (at 20 °C)
---------------------------------------	-------------------------

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone	: Not classified.
Fluorinated greenhouse gases	: No
Other information	: No other effects known.

SECTION 13 Disposal considerations

Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimised wherever possible.
--	---

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN Number

Not regulated for transport

14.2. UN Proper Shipping Name

Sterilex Ultra Step

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Proper Shipping Name (DOT)	: Not regulated
Proper Shipping Name (TDG)	: Not regulated
Proper Shipping Name (IMDG)	: Not regulated
Proper Shipping Name (IATA)	: Not regulated

14.3. Transport hazard class(es)

DOT	
Transport hazard class(es) (DOT)	: Not regulated

TDG	
Transport hazard class(es) (TDG)	: Not regulated

IMDG	
Transport hazard class(es) (IMDG)	: Not regulated

IATA	
Transport hazard class(es) (IATA)	: Not regulated

14.4. Packing group

Packing group (DOT)	: Not regulated
Packing group (TDG)	: Not regulated
Packing group (IMDG)	: Not regulated
Packing group (IATA)	: Not regulated

14.5. Environmental hazards

Other information	: No supplementary information available.
-------------------	---

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT	
Not regulated	

TDG	
Not regulated	

IMDG	
Not regulated	

IATA	
Not regulated	

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

FIFRA Labeling

EPA Registration Number	63761-10
-------------------------	----------

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Refer to product label for hazards and precautionary statements.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

Sterilex Ultra Step

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Health Canada Labeling	
DIN Registration Number	02539373
Read the label, authorized under the Food and Drug Act, prior to using or handling the product. This product is regulated by Health Canada and is subject to certain labeling requirements under the Food and Drug Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the product's label: Refer to product label for hazards and precautionary statements.	

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986) - This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.


SECTION 16 Other Information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024 and the Hazardous Products Regulations (HPR) WHMIS 2022

Revision date	: 2026-01-29
Issue date	: 2022-09-22
Other information	: None.
Prepared by	: Nexreg Compliance Inc. www.Nexreg.com



NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.



Indication of changes:			
Section	Changed item	Modification	Comments
2	GHS-US classification	Modified	V2.0
7.1	Precautions for safe handling	Added	V2.0
16	Hazard Rating	Modified	V2.0
9	VOC content	Added	V2.1
16	SDS update	Modified	V3.1
16	Disclosure	Modified	V3.2

SDS HazCom 2024 - WHMIS 2022 (Nexreg) 2025

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.